



v4.5.3

# CATALOG

ELECTRIC LOCKS 2017

## 2017 GENERAL SALES TERMS 3

### 10.1 ELECTRIC LOCKS 7

DORCAS® Universal Series	9
Accessories and options	12
DORCAS® European Profile 41 Series	13
Accessories and options	16
CDVI® Universal B101 Strikes	17
Accessories and options	18
DORCAS® Symmetric 45 Series	19
Accessories and options	22
CDVI® Firedoor and Symmetrical Strikes	23
Accessories and options	25
DORCAS® Reversible 54 Series	26
Accessories and options	27
DORCAS® P and P II Special Series	28
CDVI® Universal Electric Strikes for Panic Push Bar	30
Accessories and options	31
DORCAS® C and C II Special Series	32
DORCAS® 52 Special Series	33
DORCAS® AR Special Series	35
Accessories and options	35

### 10.2 DORCAS® AR SPECIAL SERIES 36

EM DORCAS® SUCTION PADS	36
Accessories and options	37
EM DORCAS® Retainers	38
CDVI® Surface Mount EM Locks	39
CDVI® Illuminated Surface Mount EM Locks	40
CDVI® Double Surface Mount EM Locks	41
Other CDVI® Surface Mount EM Locks	41
CDVI® Mortice Mount EM Locks	42
CDVI® Self-Aligning Electromagnetic Shearlocks	43
Accessories and options	44
CDVI® Electromagnetic Retainers for Fire-Resistant Doors	44
Accessories and options	45
CDVI® Stand-alone RF Electromagnetic Locks	45
Accessories and options	45
Accessories and options for CDVI® Electromagnetic Locks	46

### 10.3 SOLENOID BOLT LOCKS 47

CDVI® Solenoid Bolt Locks	47
Accessories and options	47

## 10.4 MOUNTING ELEMENTS 48

Rim Door Loops	48
Door loops	49
Exit Switch	50
Emergency Exit Switch	51
DORCAS® Short Escutcheons	52
Accessories and options	53
DORCAS® Long Escutcheons	53
CDVI® Faceplates	55



# 2017 GENERAL SALES TERMS

1. Prices are subject to change without notice.
2. Prices are in Euros. F.O.B. EMACS®, SPAIN Distribution Center, EEC Import Tax excluded.
3. Refer to the "How to Order Guide" for all available HID® and INDALA® part numbers and options.
4. Credentials are available with an optional external inkjet number. Refer to the "How to Order Guide" for ordering instructions. Laser engraved external number is available on most Credentials for an additional charge, please refer to section 2 for pricing.
5. Cards are available with an optional slot punch. Some dye sublimation printers cannot accommodate pre-slot punched cards. Please consult with the printer manufacturer prior to ordering.
6. Minimum order quantity is 100 for all standard Cards, Keys & Tags, 500 for Custom Cards or Cards with Custom Artwork. Minimum order quantity is 10 for C700, 25 for C1100/C1150/pivCLASS™ and 100 for C800. Please consult EMACS® on minimum order quantity for custom cards.
7. The same color on both sides counts as two color.
8. Purchase orders for custom credentials will not be accepted until a proof has been signed.
9. Custom artwork plates will be kept for 1 year after the most recent order. If orders are separated by more than one year, "first-time order fees" will apply.
10. All cards are available with an optional Debitek stripe, signature panel, or magnetic stripe for an additional charge. Standard magnetic stripe is 3 Tracks 4000 OE, other magnetic stripes are available. Magnetic stripe colors may vary. Please consult EMACS®.
11. All customization fees are add-on to standard card pricing.
12. All card orders are final. For details on changes or cancellations, please consult EMACS®.
  - a. Any changes required after order accepted by EMACS® will involve an extension of the deadline and possibly a change in price, which will be determined by our relevant department.
  - b. While the order is not definitively confirmed, the time indicated by EMACS® until then always will be an approximation.
13. The stipulated period of delivery will be automatically extended in time to be determined by our relevant department, if two things happen:
  - a. Introduction of amendments to the original order, at the request of the CUSTOMER while it is running.
  - b. Delayed essential documentation, specifications, designs or clarifications requested by EMACS®, to the implementation of the supply order.
14. The delivery period will be extended also in cases of irregular situations that modify the conditions of production, such as:
  - a. Lack of material caused by the failure of our suppliers or by the absence in the domestic market of materials whose acquisition was planned in that market.
  - b. Service disruption of transport, strikes, and other social or labour unrest, military demonstrations, wars, disasters, unusual weather causes, fires in our facilities, serious accidents indispensable machines in production order, unexpected power interruption for long periods restrictions, or opposition from the authorities.
15. Credentials are available with the iCLASS™ Elite (Part # MC-0036) and/or Corporate 1000 (Part # MC-1000) Formats for an additional charge.
16. iCLASS™ Tags are packaged in multiples of 50 pieces. Minimum order quantity is 100 pieces; orders will be accepted in multiples of 50 pieces thereafter.
17. All prices in this web site do not include Contact Smart Chip Module.
18. OEM Modules require a signed Non-Disclosure agreement before order can be placed.
19. User of any Programmer must sign an HID® and EMACS® software license agreement.
20. Programming restrictions may apply. Contact an HID® or EMACS® sales representative for complete details.
21. Camera ready artwork (i.e.: Adobe™ Illustrator™ [AI]) is required for all custom artwork cards.
22. Programming of the MIFARE®/DESFire® Portion with an HID®/OEM proximity Format is available for an additional charge.
23. MIFARE® credentials include a permanent Unique MIFARE® 32 Bit Serial number at no extra charge. Credentials are shipped with default keys configurations.
24. DESFire® credentials include a permanent Unique DESFire® 52 Bit Serial number at no extra charge. Credentials are shipped with default keys configurations.
25. Card reprogramming have some constraints. Consult EMACS® and HID®.
26. All 125 KHz proximity readers are available in Wiegand output. The ProxPro™ reader is available in a RS232 output version (P/N PS-5352). The ProxPro™, ProxPro™ II, Prox™80, MiniProx™ and ThinLine™ II readers are available in a magnetic stripe output version (P/N 5358 for ProxPro™, P/N 5458 for ProxPro™ II, P/N 5408 for Prox™80, P/N 5368 for MiniProx™, 5398 for ThinLine™ II and 6008 ProxPoint™ Plus)..
27. ProxPro™ II, MiniProx™, ThinLine™ II and ProxPoint™ Plus Readers are available with 9 feet/3 meters pigtail for an additional charge.
28. Proximity cards and keyfobs included in EntryProx™ kits will be programmed with HID®'s 37-bit Wiegand format (H10302). HID® tracks the issuance of this format and does not duplicate numbers. Numbers will be issued in random order. An EntryProx™ antenna is included with the purchase of the EntryProx™ reader.
29. HID® Proximity™ 125 kHz credentials are available non-programmed for use with HID® ProxProgrammer™.
30. Minimum 12 month quantity commitment is 500 units for 125 kHz Proximity Embedded Reader Electronics. Units will be shipped in bulk quantities. Minimum shipment is 100 units for 125 kHz Proximity Embedded Reader Electronics. Shipments must be scheduled for release at the time the order is placed. Price includes the circuit board only (no antenna or plastic housing) unless otherwise indicated for 125 kHz Proximity Embedded Reader Electronics.
31. eProx™ Lock Module boards are available with Wiegand, Clock-and-data, or F2F outputs.
32. OEM Modules require a signed Non-Disclosure agreement before order can be placed.
33. ProxPoint™ OEM and MiniProx™ Guts Modules are available in a magnetic stripe output version (P/N 4068 for ProxPoint™ OEM; P/N 4038 for MiniProx™ Guts). ProxPoint™ OEM does not



# 2017 GENERAL SALES TERMS

- include UL, FCC or CE approval.
34. Re-work cards must be returned to HID® in sequential order. If cards are not returned to EMACS® in sequential order, EMACS® will apply a sort fee (part # MC-0014).
  35. External Number on ProxCARD™ II cannot be removed.
  36. HID® will encode 10 digit Data Configuration on all cards ordered for use with the HID® magnetic stripe readers unless instructed otherwise. For all other Non-HID® magnetic stripe readers, please specify data configuration
  37. All SmartID™, SmartTRANS™ and SmartTOUCH™ readers are sold in mullion mount size. For single-gang mounting kit, please [contact EMACS®](#).
  38. HID® Prox™ and SmartTRANS™ readers are compatible ONLY with Corporate 1000 and 26-bit formats.
  39. SmartID™ Read/Write option can only be applied to model S10 and SK10 readers.
  40. During the execution of the order could be introduced any changes in the design of materials, only if this does not prejudice the quality levels of our supplies and resulting diminished assumed no guarantees for this reason.
  41. Each and every one of the documents or studies of any kind as sketches, designs, reports, calculations, specifications and similar reports, supplied or shipped to the CUSTOMER are always the exclusive property of EMACS® and, in any case, may be used or disclosed to third parties, without our prior written consent; giving rise to the obligation to compensate the non-fulfilment of the above.
  42. In the price of materials is not included any expenses incurred by the manufacturing inspection and receiving materials to be made by the CUSTOMER or by a representative, unless specific clause; then the inspection or review must be clearly specified.
  43. When, for whatever reason, the client must send goods to EMACS®, will always do after obtaining an approval of a RMA (Return Number). You can contact us at (+34) 913 750 136 or by the email [info@emacs.es](mailto:info@emacs.es).
  44. When is received an RMA email approval, make the shipping, the procedure will be:
    - a. Indicate clearly the RMA number in the outer packaging, which protects the computer's original packaging for a safe shipment.
    - b. Make the shipment prepaid to the address provided in the RMA of EMACS®, may be some of our offices, or at the manufacturer itself, whose address is listed correctly.
    - c. Wait for the technical review of the product and the resolution of the technicians.
  45. The product will be returned repaired and prepaid if it is under warranty and it applies, will be changed if necessary in the case that it has been purchased within five days or a repair estimate shall be sent for approval by the client in the rest of the cases.
  46. Change of a defective new product:
    - a. If within five working days of the delivery of the material, manufacturing defects are detected, an RMA request indicating the reason for the return then must be performed to proceed with the replacement.
    - b. This request shall be sent immediately so that it can count as defective material and thus expedite the change.
  - c. In case of acceptance of a return, EMACS® will replace the defective product with another of the same model.
  - d. In the case of negotiate the payment of the product with the commercial department, EMACS® will paid in the account of the customer the amount paid by it for future purchases.
  - e. In the case that in the customer credit there are other charges, the payment of the defective product may be used at the will of EMACS® to cancel all or part of the pending credit amount.
  47. The equipment will be returned with all its components, manuals and original packaging in perfect condition.
  48. The RMA must be sent prepaid and in the case of defective products out of warranty, the cost of shipping and return is always borne by the customer.
  49. In no case will anticipate the shipping of any product to the customer to replace another subject to RMA before the receipt in EMACS® the allegedly defective equipment and once it has been reviewed and verified as defective and as it enters in the terms and conditions provided for this purpose.
  50. Returns to repair a defective product: No change or bonus of defective material is accepted after this period of 5 working days from delivery of the order, time after which govern the normal warranty, shall also be requested the RMA prior to the shipping of the product.
  51. The validity of the RMA number is fifteen calendar days from the date of issue, after this time no refund for revocation of the RMA will be accepted.
  52. EMACS® reserves the right to refuse a return material for not complying with the above conditions.
  53. EMACS® warranty covers manufacturing defects for a period of 2 years from the date of sale except for: Batteries, Hard Drives, CDRW/DVDRW Units, monitors and products that takes on the manufacturer's warranty and which own conditions and manufacturer's certificate are included.
  54. EMACS® warranty does not include wear parts or damage caused by overloading, storms or misuse or abuse of the equipment.
  55. EMACS® repair or replace products on warranty at no cost for parts and labor if found to the material is defective and the use, the shipping and the storage of the equipment have been suitable.
  56. It is up to the Department of Quality of EMACS® to determine if a product under warranty must be repaired or replaced, within the established deadlines.
  57. EMACS® is not responsible in any way for the consequences or accidental failures that are due to a failure or negligence.
  58. EMACS® will have no liability for any personal injury, damage to property or any other loss based on claims that the product has failed technically or in the task for which it has been manufactured.
  59. The uses of personnel outside our services to carry out work of modifications or repairs of our products, during the warranty period, immediately void the warranty.
  60. All and any irregularities within the guarantee must be communicated in writing immediately, with

# 2017 GENERAL SALES TERMS


urgent character and accompanied by information with the reasons which caused the failure, under the penalty of cancellation of that.

61. The products or components delivered to the service center for repair will generate starting from three months an amount of 2.00 € in concept of storage per day, passing to be EMACS® property at 6 months of deposit.
  - a. Costs for review (workshop technician time): 73.47 € / h + VAT.
62. In the case that reimbursement of the purchase amount, whole or partial is required, EMACS® will make a a transfer to the IBAN confirmed (bank certificate will be required) by the customer.
63. In the case that the presence of technical staff of EMACS® is required in the customer premises, he will assume the costs of travel, accommodation and maintenance of the technical staff. They will bill the hours spent, with a maximum of 8 hours per working day. The service will be billed according to the current service fee.
64. All material left on deposit by the customer will be billed if 30 days have elapsed since the deposit is made, and has not been returned to our warehouse. They will also be billed when the material is not returned in perfect condition, including the preservation of its packaging.
65. Repair or modification or replacement of parts during the warranty period does not involve the extension of the term thereof.
66. Parts replaced within the warranty period shall be in possession or under possession of EMACS®.
67. M. E. DORCAS® guarantees its products for FOUR YEARS from the date of departure from the production line, against manufacturing defects that originate a malfunction. The warranty only entitles to the free replacement of defective parts, excluding any compensation for damages that the defect has have generated.
68. EMACS® reserves the right of ownership of all goods for which payment has not been entirely satisfied invoice due and can remove it from the customer's home or any other place where it shall find.
69. All trademarks and registered trademarks are the properties of their respective companies.











# 10.0 | LOCKS AND DOOR ACCESSORIES

## Electric and Electromagnetic Locks











## DORCAS® Universal Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>N C.M.</b>	N Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal	Electric lock, NORMAL (N) Universal Series without regulation bolts, DC or AC. Mechanism case only.	<b>12,71 €</b>
	<b>N/SG</b>	N/S Universal Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	Electric lock, NORMAL (N) Universal Series without regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>13,11 €</b>
	<b>N/SX</b>				Stainless			<b>15,74 €</b>
	<b>N/SL</b>				Brass			<b>15,80 €</b>
	<b>N/GG</b>	N/G Universal Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal	Electric lock, NORMAL (N) Universal Series without regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>15,37 €</b>
	<b>N/GX</b>				Stainless			<b>18,45 €</b>
	<b>N/GL</b>				Brass			<b>18,52 €</b>
	<b>ND C.M.</b>	ND Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal and No-Unblocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case only.	<b>14,15 €</b>
	<b>ND/SG</b>	ND/S Universal Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No-Unblocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>14,16 €</b>
	<b>ND/SX</b>				Stainless			<b>16,99 €</b>
	<b>ND/SL</b>				Brass			<b>17,07 €</b>
	<b>ND/GG</b>	ND/G Universal Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal and No-Unblocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>16,49 €</b>
	<b>ND/GX</b>				Stainless			<b>19,79 €</b>
	<b>ND/GL</b>				Brass			<b>19,86 €</b>
	<b>A C.M.</b>	A Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic	Electric lock, AUTOMATIC (A) Universal Series, without regulation bolts, DC or AC. Mechanism case only.	<b>14,85 €</b>
	<b>A/SG</b>	A/S Universal Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	Electric lock, AUTOMATIC (A) Universal Series, without regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>15,32 €</b>
	<b>A/SX</b>				Stainless			<b>18,38 €</b>
	<b>A/SL</b>				Brass			<b>18,46 €</b>











## DORCAS® Universal Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>A/GG</b>	A/G Universal Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic	Electric lock, AUTOMATIC (A) Universal Series, without regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>17,56 €</b>
	<b>A/GX</b>				Stainless			<b>21,08 €</b>
	<b>A/GL</b>				Brass			<b>21,16 €</b>
	<b>AD C.M.</b>	AD Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case only.	<b>16,51 €</b>
	<b>AD/SG</b>	AD/S Universal Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>17,01 €</b>
	<b>AD/SX</b>				Stainless			<b>20,41 €</b>
	<b>AD/SL</b>				Brass			<b>20,50 €</b>
	<b>AD/GG</b>	AD/G Universal Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, without regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>19,06 €</b>
	<b>AD/GX</b>				Stainless			<b>22,88 €</b>
	<b>AD/GL</b>				Brass			<b>22,96 €</b>
	<b>NF C.M.</b>	NF Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal	Electric lock, NORMAL (N) Universal Series WITH regulation bolts, DC or AC. Mechanism case only.	<b>14,64 €</b>
	<b>NF/SG</b>	NF/S Universal Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	Electric lock, NORMAL (N) Universal Series WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>14,94 €</b>
	<b>NF/SX</b>				Stainless			<b>17,93 €</b>
	<b>NF/SL</b>				Brass			<b>18,01 €</b>
	<b>NF/GG</b>	NF/G Universal Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal	Electric lock, NORMAL (N) Universal Series WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>17,51 €</b>
	<b>NF/GX</b>				Stainless			<b>21,01 €</b>
	<b>NF/GL</b>				Brass			<b>21,10 €</b>
	<b>NDF C.M.</b>	NDF Universal Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal and No-Unlocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case only.	<b>15,81 €</b>











## DORCAS® Universal Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>NDF/SG</b>	NDF/S Series Universal	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No-Unlocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>16,13 €</b>
	<b>NDF/SX</b>				Stainless			<b>19,36 €</b>
	<b>NDF/SL</b>				Brass			<b>19,45 €</b>
	<b>NDF/GG</b>	NDF/G Series Universal	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal and No-Unlocking	Electric lock, NORMAL Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>18,77 €</b>
	<b>NDF/GX</b>				Stainless			<b>22,52 €</b>
	<b>NDF/GL</b>				Brass			<b>22,62 €</b>
	<b>AF C.M.</b>	AF Series Universal	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic	Electric lock, AUTOMATIC (A) Universal Series, WITH regulation bolts, DC or AC. Mechanism case only.	<b>17,06 €</b>
	<b>AF/SG</b>	AF/S Series Universal	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	Electric lock, AUTOMATIC (A) Universal Series, WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>17,41 €</b>
	<b>AF/SX</b>				Stainless			<b>20,89 €</b>
	<b>AF/SL</b>				Brass			<b>20,98 €</b>
	<b>AF/GG</b>	AF/G Series Universal	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic	Electric lock, AUTOMATIC (A) Universal Series, WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>20,00 €</b>
	<b>AF/GX</b>				Stainless			<b>24,00 €</b>
	<b>AF/GL</b>				Brass			<b>24,11 €</b>
	<b>ADF C.M.</b>	ADF Series Universal	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case only.	<b>18,26 €</b>
	<b>ADFS/SG</b>	ADFS Series Universal	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black and white.	<b>18,41 €</b>
	<b>ADFS/SX</b>				Stainless			<b>22,08 €</b>
	<b>ADFS/SL</b>				Brass			<b>22,18 €</b>
	<b>ADF/GG</b>	ADF/G Series Universal	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic and No-Unlocking	Electric lock, AUTOMATIC Universal Series with NO-UNBLOCKING SYSTEM, WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black and white.	<b>22,08 €</b>
	<b>ADF/GX</b>				Stainless			<b>26,50 €</b>
	<b>ADF/GL</b>				Brass			<b>26,61 €</b>









Accessories and options (To be added to the unit price of the electric lock)

Part Number	Description	List Price
B	White paint: the price equals G (gray).	0,00 €
N	Black paint: the price equals G (gray).	0,00 €
P	Silver: 5% increase upon G (gray).	+5,00%
O	Gold: 6% increase upon G (gray).	+6,00%
412	DIRECT CURRENT (video intercoms and access control facilities). Available in all references. To request this option, you must add 412 after the article's defining letters. Example: NF 412 / SX (Universal Series. Normal with regulation bolts, in DC, with short S front in a stainless steel finish).	6,94 €
24 VDC	The standard electric reels oscilate between the 8 and the 12 volt range. You can also request 24 volt reels, taking into account a 7% increase upon the standardized variation.	+7,00%
Aa	INVISIBLE AUTOMATIC. Removes the automatic bolt, minimizing the mechanic lock's fitting problems. Available in A, AD, AF and ADF items. You will have to write Aa. Example: AaF C.M. (Universal Series. Invisible automatic with regulation bolts, mechanism case).	2,34 €
512	REVERSED OPERATION (DC). Receives the current while it's closed and opens to interrupt its entrance; emergency exits. Available in N and NF references. You must add 512 to the item's identifying letters to request it. Example: N 512 /GG (Universal Series. Normal, without regulation bolts, reversed function, with long G front in gray).	10,77 €
305	COMMUTATION (acoustic and light signals; frequent in access controls). Alternate Mode: you will have to add 305 to the code letters. Example: N 305 C.M. (Universal Series. Normal with commutation, mechanism case).	25,14 €
305 412	COMMUTATION (acoustic and light signals; frequent in access controls). Alternate Mode: you will have to add 305 412 to the code letters. Example: N 305 412 C.M. (Universal Series. Normal with commutation in direct current, mechanism case).	36,32 €
305 512	COMMUTATION (acoustic and light signals; frequent in access controls). Reversed Function Mode: you will have to add 305 512 to the reference. Example: N 305 512 C.M. (Universal Serise. Normal with commutation and reversed, mechanism case).	33,69 €

## DORCAS® European Profile 41 Series









	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>41 N C.M.</b>	41 N European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal	41 European Profile Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case only.	<b>18,07 €</b>
	<b>41 N/SG</b>	41 N/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	41 European Profile Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>16,83 €</b>
	<b>41 N/SX</b>				Stainless			<b>22,37 €</b>
	<b>41 N/SL</b>				Brass			<b>22,46 €</b>
	<b>41 N/MG</b>	41 N/M European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal	41 European Profile Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>21,26 €</b>
	<b>41 N/MX</b>				Stainless			<b>25,51 €</b>
	<b>41 N/ML</b>				Brass			<b>25,62 €</b>
	<b>41 ND C.M.</b>	41 ND European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case only.	<b>19,61 €</b>
	<b>41 ND/SG</b>	41 ND/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>20,22 €</b>
	<b>41 ND/SX</b>				Stainless			<b>24,26 €</b>
	<b>41 ND/SL</b>				Brass			<b>24,37 €</b>
	<b>41 ND/MG</b>	41 ND/G European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>22,76 €</b>
	<b>41 ND/MX</b>				Stainless			<b>27,31 €</b>
	<b>41 ND/ML</b>				Brass			<b>27,42 €</b>
	<b>41 A C.M.</b>	41 A European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case only.	<b>21,15 €</b>
	<b>41 A/SG</b>	41 A/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>21,80 €</b>
	<b>41 A/SX</b>				Stainless			<b>26,17 €</b>
	<b>41 A/SL</b>				Brass			<b>26,27 €</b>

## DORCAS® European Profile 41 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>41 A/MG</b>	41 A/M European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>24,36 €</b>
	<b>41 A/MX</b>				Stainless			<b>29,22 €</b>
	<b>41 A/ML</b>				Brass			<b>29,35 €</b>
	<b>41 AD C.M.</b>	41 AD European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case only.	<b>22,66 €</b>
	<b>41 AD/SG</b>	41 AD/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>23,35 €</b>
	<b>41 AD/SX</b>				Stainless			<b>28,02 €</b>
	<b>41 AD/SL</b>				Brass			<b>28,13 €</b>
	<b>41 AD/MG</b>	41 AD/G European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>25,89 €</b>
	<b>41 AD/MX</b>				Stainless			<b>31,07 €</b>
	<b>41 AD/ML</b>				Brass			<b>31,20 €</b>
	<b>41 NF C.M.</b>	41 NF European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal	41 European Profile Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>18,07 €</b>
	<b>41 NF/SG</b>	41 NF/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	41 European Profile Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>18,64 €</b>
	<b>41 NF/SX</b>				Stainless			<b>22,37 €</b>
	<b>41 NF/SL</b>				Brass			<b>22,46 €</b>
	<b>41 NF/MG</b>	41 NF/M European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal	41 European Profile Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>21,26 €</b>
	<b>41 NF/MX</b>				Stainless			<b>25,51 €</b>
	<b>41 NF/ML</b>				Brass			<b>25,62 €</b>
	<b>41 NDF C.M.</b>	41 NDF European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>19,61 €</b>










## DORCAS® European Profile 41 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>41 NDF/SG</b>	41 NDF/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>20,22 €</b>
	<b>41 NDF/SX</b>				Stainless			<b>24,26 €</b>
	<b>41 NDF/SL</b>				Brass			<b>24,37 €</b>
	<b>41 NDF/MG</b>	41 NDF/M European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Normal and No- Unlocking	41 European Profile Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>22,76 €</b>
	<b>41 NDF/MX</b>				Stainless			<b>27,31 €</b>
	<b>41 NDF/ML</b>				Brass			<b>27,42 €</b>
	<b>41 AF C.M.</b>	41 AF European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>21,15 €</b>
	<b>41 AF/SG</b>	41 AF/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>21,80 €</b>
	<b>41 AF/SX</b>				Stainless			<b>26,17 €</b>
	<b>41 AF/SL</b>				Brass			<b>26,27 €</b>
	<b>41 AF/MG</b>	41 AF/M European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic	41 European Profile Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>24,36 €</b>
	<b>41 AF/MX</b>				Stainless			<b>29,22 €</b>
	<b>41 AF/ML</b>				Brass			<b>29,35 €</b>
	<b>41 ADF C.M.</b>	41 ADF European Profile Series	90 mm x 20 mm x 27 mm	N/A	Chrome	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>22,66 €</b>
	<b>41 ADFSG</b>	41 ADF/S European Profile Series	90 mm x 20 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>23,35 €</b>
	<b>41 ADFSX</b>				Stainless			<b>28,02 €</b>
	<b>41 ADFSL</b>				Brass			<b>28,13 €</b>
	<b>41 ADF/MG</b>	41 ADF/G European Profile Series	90 mm x 20 mm x 27 mm	Long (250 mm x 12 mm)	Grey	Automatic and No- Unlocking	41 European Profile Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>25,89 €</b>
	<b>41 ADF/MX</b>				Stainless			<b>31,07 €</b>
	<b>41 ADF/ML</b>				Brass			<b>31,20 €</b>

Accessories and options (To be added to the unit price of the electric lock)

Part Number	Description	List Price
B	White paint: the price equals G (gray).	0,00 €
N	Black paint: the price equals G (gray).	0,00 €
P	Silver: 5% increase upon G (gray).	+5,00%
O	Gold: 6% increase upon G (gray).	+6,00%
412	DIRECT CURRENT (video intercoms and access control facilities). Available in all references. To request this option, you must add 412 after the article's defining letters. Example: NF 412 / MX (Universal 54 Reversible Series. Normal with regulation bolts, manual unblocking leverage, in DC, with long M front in stainless steel finishing).	4,57 €
24 VDC	The standard electric reels oscilate between the 8 and the 12 volt range. You can also request 24 volt reels, taking into account a 7% increase upon the standardized variation.	+7,00%
Aa	INVISIBLE AUTOMATIC. Removes the automatic bolt, minimizing the mechanic lock's fitting problems. Available in A, 41 AD, 41 AF and 41 ADF. You will have to write Aa. Example: 41 AaF C.M. (41 European Profile Series. Invisible automatic with regulation bolts, mechanism case).	4,16 €
512	REVERSED OPERATION (DC). Receives the current while it's closed and opens to interrupt its entrance; emergency exits. Available in 41 N, 41 ND, 41 NF and 41 NDF. You must add 512 to the item's identifying letters to request it. Example: 41 N 512 /GG (41 European Profile Series. Normal, without regulation bolts, reversed function, with long M front in gray).	9,04 €

## CDVI® Universal B101 Strikes









	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>GUNRR12</b>	CDVI® Universal Strike GUNRR12	16 mm x 67 mm x 28 mm	12 VDC/VAC	Grey	Normal	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. NORMAL operation, 12 VDC / VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement.	<b>46,68 €</b>
	<b>GUNRR24</b>	CDVI® Universal Strike GUNRR24	16 mm x 67 mm x 28 mm	24 VDC/VAC	Grey	Normal	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. NORMAL operation, 24 VDC / VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement.	<b>49,90 €</b>
	<b>GUNRCC12</b>	CDVI® Universal Strike GUNRCC12	16 mm x 67 mm x 28 mm	12 VDC	Grey	Normal	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. NORMAL operation, 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement.	<b>56,15 €</b>
	<b>GUNRCC24</b>	CDVI® Universal Strike GUNRCC24	16 mm x 67 mm x 28 mm	24 VDC	Grey	Normal	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. NORMAL operation, 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement.	<b>56,15 €</b>
	<b>GUNDRR12</b>	CDVI® Universal Strike GUNDRR12	16 mm x 67 mm x 28 mm	12 VDC/VAC	Grey	Normal	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. NORMAL operation, 12 VDC / VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement. Includes lever.	<b>46,95 €</b>
	<b>GUNTRR12</b>	CDVI® Universal Strike GUNTRR12	16 mm x 67 mm x 28 mm	12 VDC/VAC	Grey	Automatic	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. AUTOMATIC operation, 12 VDC / VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement. Door operated relock.	<b>53,95 €</b>
	<b>GUN-DTRR12</b>	CDVI® Universal Strike GUNDTTR12	16 mm x 67 mm x 28 mm	12 VDC/VAC	Grey	Automatic	Electrical universal strike, symmetrical, reversible, to mortice, 16 mm wide with adjustable jaw. AUTOMATIC operation, 12 VDC / VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Ideal for repair / replacement. Includes lever. Door operated relock.	<b>54,30 €</b>

Accessories and options (To be added to the unit price of the symmetrical strikes)









Part Number	Description	List Price
T1I	Short faceplate. Stainless-steel 130 x 25 mm faceplate for Symmetrical strikes. To be used in locking without a deadbolt.	<b>5,13 €</b>
T290	Long faceplate. Stainless-steel 250 x 25 mm faceplate for Symmetrical strikes. Surface between the latch and deadbolt of the lock: 17mm.	<b>5,13 €</b>





## DORCAS® Symmetric 45 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>45 N C.M.</b>	45 N Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Normal	45 Symmetric Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case only.	<b>18,07 €</b>
	<b>45 N/SG</b>	45 N/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	45 Symmetric Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>16,83 €</b>
	<b>45 N/SX</b>				Stainless			<b>22,37 €</b>
	<b>45 N/SL</b>				Brass			<b>22,46 €</b>
	<b>45 N/MG</b>	45 N/M Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Normal	45 Symmetric Series Electric lock, NORMAL (N) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>21,26 €</b>
	<b>45 N/MX</b>				Stainless			<b>25,51 €</b>
	<b>45 N/ML</b>				Brass			<b>25,62 €</b>
	<b>45 ND C.M.</b>	45 ND Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Normal and No-Unblocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case only.	<b>19,61 €</b>
	<b>45 ND/SG</b>	45 ND/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No-Unblocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>20,22 €</b>
	<b>45 ND/SX</b>				Stainless			<b>24,26 €</b>
	<b>45 ND/SL</b>				Brass			<b>24,37 €</b>
	<b>45 ND/MG</b>	45 ND/G Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Normal and No-Unblocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>22,76 €</b>
	<b>45 ND/MX</b>				Stainless			<b>27,31 €</b>
	<b>45 ND/ML</b>				Brass			<b>27,42 €</b>
	<b>45 A C.M.</b>	45 A Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case only.	<b>21,15 €</b>
	<b>45 A/SG</b>	45 A/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>21,80 €</b>
	<b>45 A/SX</b>				Stainless			<b>26,17 €</b>
	<b>45 A/SL</b>				Brass			<b>26,27 €</b>

## DORCAS® Symmetric 45 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>45 A/MG</b>	45 A/M Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>24,36 €</b>
	<b>45 A/MX</b>				Stainless			<b>29,22 €</b>
	<b>45 A/ML</b>				Brass			<b>29,35 €</b>
	<b>45 AD C.M.</b>	45 AD Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case only.	<b>22,66 €</b>
	<b>45 AD/SG</b>	45 AD/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>23,35 €</b>
	<b>45 AD/SX</b>				Stainless			<b>28,02 €</b>
	<b>45 AD/SL</b>				Brass			<b>28,13 €</b>
	<b>45 AD/MG</b>	45 AD/G Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) without regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>25,89 €</b>
	<b>45 AD/MX</b>				Stainless			<b>31,07 €</b>
	<b>45 AD/ML</b>				Brass			<b>31,20 €</b>
	<b>45 NF C.M.</b>	45 NF Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Normal	45 Symmetric Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>18,07 €</b>
	<b>45 NF/SG</b>	45 NF/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal	45 Symmetric Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	<b>18,64 €</b>
	<b>45 NF/SX</b>				Stainless			<b>22,37 €</b>
	<b>45 NF/SL</b>				Brass			<b>22,46 €</b>
	<b>45 NF/MG</b>	45 NF/M Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Normal	45 Symmetric Series Electric lock, NORMAL (N) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	<b>21,26 €</b>
	<b>45 NF/MX</b>				Stainless			<b>25,51 €</b>
	<b>45 NF/ML</b>				Brass			<b>25,62 €</b>
	<b>45 NDF C.M.</b>	45 NDF Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Normal and No-Unlocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case only.	<b>19,61 €</b>

## DORCAS® Symmetric 45 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	45 NDF/SG	45 NDF/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Normal and No-Unlocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	20,22 €
	45 NDF/SX				Stainless			24,26 €
	45 NDF/SL				Brass			24,37 €
	45 NDF/MG	45 NDF/M Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Normal and No-Unlocking	45 Symmetric Series Electric lock, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	22,76 €
	45 NDF/MX				Stainless			27,31 €
	45 NDF/ML				Brass			27,42 €
	45 AF.C.M.	45 AF Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case only.	21,15 €
	45 AF/SG	45 AF/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	21,80 €
	45 AF/SX				Stainless			26,17 €
	45 AF/SL				Brass			26,27 €
	45 AF/MG	45 AF/M Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Automatic	45 Symmetric Series Electric lock, AUTOMATIC (A) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	24,36 €
	45 AF/MX				Stainless			29,22 €
	45 AF/ML				Brass			29,35 €
	45 ADF.C.M.	45 ADF Symmetric Series	75 mm x 21 mm x 27 mm	N/A	Chrome	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case only.	22,66 €
	45 ADFSG	45 ADF/S Symmetric Series	75 mm x 21 mm x 27 mm	Short (160 mm x 25 mm)	Grey	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with SHORT escutcheon. Gray, white and black.	23,35 €
	45 ADFSX				Stainless			28,02 €
	45 ADFSL				Brass			28,13 €
	45 ADF/MG	45 ADF/G Symmetric Series	75 mm x 21 mm x 27 mm	Long (250 mm x 17 mm)	Grey	Automatic and No-Unlocking	45 Symmetric Series Electric lock, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (ND) WITH regulation bolts, in DC or AC. Mechanism case with LONG escutcheon. Gray, white and black.	25,89 €
	45 ADF/MX				Stainless			31,07 €
	45 ADF/ML				Brass			31,20 €

Accessories and options (To be added to the unit price of the electric lock)

Part Number	Description	List Price
B	White paint: the price equals G (gray).	0,00 €
N	Black paint: the price equals G (gray).	0,00 €
P	Silver: 5% increase upon G (gray).	+5,00%
O	Gold: 6% increase upon G (gray).	+6,00%
412	DIRECT CURRENT (video intercoms and access control facilities). Available in all references. To request this option, you must add 412 after the article's defining letters. Example: NF 412 / MX (Universal 54 Reversible Series. Normal with regulation bolts, manual unblocking leverage, in DC, with long M front in stainless steel finishing).	4,57 €
24 VDC	The standard electric reels oscilate between the 8 and the 12 volt range. You can also request 24 volt reels, taking into account a 7% increase upon the standardized variation.	+7,00%
Aa	INVISIBLE AUTOMATIC. Removes the automatic bolt, minimizing the mechanic lock's fitting problems. Available in A, 45 AD, 45 AF and 45 ADF. You will have to write Aa. Example: 45 AaF C.M. (45 Symmetric Series. Invisible automatic with regulation bolts, mechanism case).	4,16 €
512	REVERSED OPERATION (DC). Receives the current while it's closed and opens to interrupt its entrance; emergency exits. Available in 45 N, 45 ND, 45 NF and 45 NDF. You must add 512 to the item's identifying letters to request it. Example: 45 N 512 /GG (45 Symmetric Series. Normal, without regulation bolts, reversed function, with long M front in gray).	9,04 €




## CDVI® Firedoor and Symmetrical Strikes

	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>GPCF12</b>	CDVI® Firedoor Strike GPCF12	21.70 mm x 75.40 mm x 28.25 mm	12 VDC/VAC	Grey	Normal operation	Electric and symmetrical strike. Made of steel. Firerated: EN 1634-1 (120 mn). Reversible and to mortice, with 200 mm pigtail. NORMAL operation, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>246,25 €</b>
	<b>GPCF12CC</b>	CDVI® Firedoor Strike GPCF12CC	21.70 mm x 75.40 mm x 28.25 mm	12 VDC	Grey	Normal operation	Electric and symmetrical strike. Made of steel. Firerated: EN 1634-1 (120 mn). Reversible and to mortice, with 200 mm pigtail. NORMAL operation, 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>254,58 €</b>
	<b>GPCF24CC</b>	CDVI® Firedoor Strike GPCF24CC	21.70 mm x 75.40 mm x 28.25 mm	12 VDC	Grey	Normal operation	Electric and symmetrical strike. Made of steel. Firerated: EN 1634-1 (120 mn). Reversible and to mortice, with 200 mm pigtail. NORMAL operation, 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>258,75 €</b>
	<b>SPR12</b>	CDVI® Symmetrical Strike SPR12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Switching Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. SWITCHING operation with regulation on latch, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). MONITORED, door contacts.	<b>41,88 €</b>
	<b>SPR12CC</b>	CDVI® Symmetrical Strike SPR12CC	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Switching Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. SWITCHING operation with regulation on latch, 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). MONITORED, door contacts.	<b>40,15 €</b>
	<b>SPR24CC</b>	CDVI® Symmetrical Strike SPR24CC	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Switching Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. SWITCHING operation with regulation on latch, 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). MONITORED, door contacts.	<b>120,50 €</b>
	<b>SPIR12</b>	CDVI® Symmetrical Strike SPIR12	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Reversed Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. REVERSED operation with regulation on latch, 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). MONITORED, door contacts.	<b>46,45 €</b>
	<b>SPIR24</b>	CDVI® Symmetrical Strike SPIR24	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Reversed Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. REVERSED operation with regulation on latch, 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). MONITORED, door contacts.	<b>53,33 €</b>

## CDVI® Firedoor and Symmetrical Strikes

	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>SR12</b>	CDVI® Symmetrical Strike SR12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Normal Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. NORMAL operation with regulation on latch, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>26,05 €</b>
	<b>SR12CC</b>	CDVI® Symmetrical Strike SR12CC	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Normal Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. NORMAL operation with regulation on latch, 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>25,28 €</b>
	<b>SR24CC</b>	CDVI® Symmetrical Strike SR24CC	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Switching Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. SWITCHING operation with regulation on latch, 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>31,55 €</b>
	<b>SDR12</b>	CDVI® Symmetrical Strike SDR12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Switching Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. NORMAL operation with regulation on latch. Includes lever, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Door operated relock.	<b>26,00 €</b>
	<b>STR12</b>	CDVI® Symmetrical Strike STR12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Automatic Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. AUTOMATIC operation with regulation on latch. 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Door operated relock.	<b>28,60 €</b>
	<b>STRINV12</b>	CDVI® Symmetrical Strike STRINV12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Automatic not visible Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. AUTOMATIC NOT VISIBLE operation with regulation on latch. Includes lever, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF). Door operated relock.	<b>28,50 €</b>
	<b>SDTR12</b>	CDVI® Symmetrical Strike SDTR12	20.5 mm x 75 mm x 28 mm	12 VDC/VAC	Grey	Automatic Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. AUTOMATIC operation with regulation on latch. Includes lever, 12 VDC/VAC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>28,35 €</b>
	<b>SIR12</b>	CDVI® Symmetrical Strike SIR12	20.5 mm x 75 mm x 28 mm	12 VDC	Grey	Automatic Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. REVERSED operation with regulation on latch. 12 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>36,88 €</b>









## CDVI® Firedoor and Symmetrical Strikes

	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>SIR24</b>	CDVI® Symmetrical Strike SIR24	20.5 mm x 75 mm x 28 mm	24 VDC	Grey	Normal Operation	Electric and symmetrical strike. Reversible, to mortice, with terminal block and adjustable jaw. REVERSED operation with regulation on latch. 24 VDC. Just mechanism box. With built-in varistor (Electronic protection to eliminate back EMF).	<b>34,95 €</b>

## Accessories and options (To be added to the unit price of the symmetrical strikes)





Part Number	Description	List Price
T1I	Short faceplate. Stainless-steel 130 x 25 mm faceplate for Symmetrical strikes. To be used in locking without a deadbolt.	<b>5,13 €</b>
T290	Long faceplate. Stainless-steel 250 x 25 mm faceplate for Symmetrical strikes. Surface between the latch and deadbolt of the lock: 17mm.	<b>5,13 €</b>

## DORCAS® Reversible 54 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>54 NF C.M.</b>	54 NF Reversible Series	67 mm x 28 mm x 20.5 mm	N/A	Chrome	Normal with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (NF) WITH regulation bolts, DC or AC. Mechanism case only.	<b>18,07 €</b>
	<b>54 NF/SG</b>	54 NF/S Reversible Series	67 mm x 28 mm x 20.5 mm	Short (160 mm x 25 mm)	Grey	Normal with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (NF) WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black or white.	<b>18,64 €</b>
	<b>54 NF/SX</b>				Stainless			<b>22,37 €</b>
	<b>54 NF/SL</b>				Brass			<b>22,46 €</b>
	<b>54 NF/MG</b>	54 NF/M Reversible Series	67 mm x 28 mm x 20.5 mm	Long (250 mm x 17 mm)	Grey	Normal with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (NF) WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black or white.	<b>21,26 €</b>
	<b>54 NF/MX</b>				Stainless			<b>25,51 €</b>
	<b>54 NF/ML</b>				Brass			<b>25,62 €</b>
	<b>54 NDF C.M.</b>	54 NDF Reversible Series	67 mm x 28 mm x 20.5 mm	N/A	Chrome	Normal with adjustable latch and No-Unblocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (NDF) WITH regulation bolts, DC or AC. Mechanism case only.	<b>19,61 €</b>
	<b>54 NDF/SG</b>	54 NDF/S Reversible Series	67 mm x 28 mm x 20.5 mm	Short (160 mm x 25 mm)	Grey	Normal con Pestillo Ajustable and No-Unblocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (NDF) WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black or white.	<b>20,22 €</b>
	<b>54 NDF/SX</b>				Stainless			<b>24,26 €</b>
	<b>54 NDF/SL</b>				Brass			<b>24,37 €</b>
	<b>54 NDF/MG</b>	54 NDF/M Reversible Series	67 mm x 28 mm x 20.5 mm	Long (250 mm x 17 mm)	Grey	Normal with adjustable latch and No-Unblocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (NDF) WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black or white.	<b>22,76 €</b>
	<b>54 NDF/MX</b>				Stainless			<b>27,31 €</b>
	<b>54 NDF/ML</b>				Brass			<b>27,42 €</b>
	<b>54 AF C.M.</b>	54 AF Reversible Series	67 mm x 28 mm x 20.5 mm	N/A	Chrome	Automatic with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (AF) WITH regulation bolts, DC or AC. Mechanism case only.	<b>21,15 €</b>
	<b>54 AF/SG</b>	54 AF/S Reversible Series	67 mm x 28 mm x 20.5 mm	Short (160 mm x 25 mm)	Grey	Automatic with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (AF) WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black or white.	<b>21,80 €</b>
	<b>54 AF/SX</b>				Stainless			<b>26,17 €</b>
	<b>54 AF/SL</b>				Brass			<b>26,27 €</b>











## DORCAS® Reversible 54 Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>54 AF/MG</b>	54 AF/M Reversible Series	67 mm x 28 mm x 20.5 mm	Long (250 mm x 17 mm)	Grey	Automatic with adjustable latch	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH (AF) WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black or white.	<b>24,36 €</b>
	<b>54 AF/MX</b>				Stainless			<b>29,22 €</b>
	<b>54 AF/ML</b>				Brass			<b>29,35 €</b>
	<b>54 ADF C.M.</b>	54 ADF Reversible Series	67 mm x 28 mm x 20.5 mm	N/A	Chrome	Automatic with adjustable latch and No-Unlocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (ADF) WITH regulation bolts, DC or AC. Mechanism case only.	<b>22,66 €</b>
	<b>54 ADF/SG</b>	54 ADF/S Reversible Series	67 mm x 28 mm x 20.5 mm	Short (160 mm x 25 mm)	Grey	Automatic with adjustable latch and No-Unlocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (ADF) WITH regulation bolts, DC or AC. Mechanism case with SHORT escutcheon. Gray, black or white.	<b>23,35 €</b>
	<b>54 ADF/SX</b>				Stainless			<b>28,02 €</b>
	<b>54 ADF/SL</b>				Brass			<b>28,13 €</b>
	<b>54 ADF/MG</b>	54 ADF/M Reversible Series	67 mm x 28 mm x 20.5 mm	Long (250 mm x 17 mm)	Grey	Automatic with adjustable latch and No-Unlocking	54 Reversible Series Electric lock, NORMAL with ADJUSTABLE LATCH and NO-UNBLOCKING SYSTEM (ADF) WITH regulation bolts, DC or AC. Mechanism case with LONG escutcheon. Gray, black or white.	<b>25,89 €</b>
	<b>54 ADF/MX</b>				Stainless			<b>31,07 €</b>
	<b>54 ADF/ML</b>				Brass			<b>31,20 €</b>





## Accessories and options (To be added to the unit price of the electric lock)

Part Number	Description	List Price
B	White paint: the price equals G (gray).	<b>0,00 €</b>
N	Black paint: the price equals G (gray).	<b>0,00 €</b>
P	Silver: 5% increase upon G (gray).	<b>+5,00%</b>
O	Gold: 6% increase upon G (gray).	<b>+6,00%</b>
412	DIRECT CURRENT (video intercoms and access control facilities). Available in all references. To request this option, you must add 412 after the article's defining letters. Example: NF 412 / MX (Universal 54 Reversible Series. Normal with regulation bolts, manual unblocking leverage, in DC, with long M front in stainless steel finishing).	<b>4,57 €</b>
24 VDC	The standard electric reels oscilate between the 8 and the 12 volt range. You can also request 24 volt reels, taking into account a 7% increase upon the standardized variation.	<b>+7,00%</b>
Aa	INVISIBLE AUTOMATIC. Removes the automatic bolt, minimizing the mechanic lock's fitting problems. Available in 54 AF and 54 ADF. You will have to write Aa. Example: 54 AaF C.M. (54 Reversible Series. Invisible automatic with regulation bolts, mechanism case).	<b>4,16 €</b>
512	REVERSED OPERATION (DC). Receives the current while it's closed and opens to interrupt its entrance; emergency exits. Available in 54 NF and 54 NDF. You must add 512 to the item's identifying letters to request it. Example: 54 N 512 /GG (54 Reversible Series. Normal, without regulation bolts, reversed function, with short S and brass finishing).	<b>9,04 €</b>

## DORCAS® P and P II Special Series

	P/N	Model	Gear	Suplemento	Finish	Detail	Description	List Price
	<b>PN</b>	P N Series	140 mm x 24 mm x 39 mm	5	Black	Normal	P Series Anti-panic Electric Lock, NORMAL (N), in AC. BLACK cover.	<b>160,44 €</b>
	<b>PN412</b>	P N Series	140 mm x 24 mm x 39 mm	5	Black	Normal	P Series Anti-Panic Electric Lock, NORMAL (N), in AC. BLACK cover.	<b>166,53 €</b>
	<b>PN 512</b>	P N Series	140 mm x 24 mm x 39 mm	5	Black	Normal and Inverted Operation	P Series Anti-Panic Electric Lock, NORMAL (N) with INVERTED OPERATION, in AC. BLACK cover. Referencing example: PN 512/N (P Anti-panic Series. Normal and inverted; cover in painted black).	<b>169,24 €</b>
	<b>PN 305</b>	P N Series	140 mm x 24 mm x 39 mm	5	Black	Normal and Switching	P Series Anti-Panic Electric Lock, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls), in AC. BLACK cover.	<b>170,30 €</b>
	<b>PN 305 512</b>	P N Series	140 mm x 24 mm x 39 mm	5	Black	Normal and Switching	P Series Anti-Panic Electric Lock, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls) AND INVERTED OPERATION, in AC. BLACK cover.	<b>177,90 €</b>
	<b>PAa</b>	P A Series	140 mm x 24 mm x 39 mm	5	Black	Normal and Invisible Automatic Operation	P Series Anti-Panic Electric Lock, NORMAL (N) with INVISIBLE AUTOMATIC OPERATION. Suppresses the automatic's bolt, minimizing fitting trouble with the mechanical lock, in AC. BLACK cover.	<b>186,37 €</b>
	<b>P II N</b>	P II N Series	140 mm x 24 mm x 39 mm	8	Black	Normal	P II Series Anti-panic Electric Lock, NORMAL (N), in AC. BLACK cover.	<b>160,44 €</b>
	<b>P II N 412</b>	P II N Series	140 mm x 24 mm x 39 mm	8	Black	Normal	P II Series Anti-panic Electric Lock, NORMAL (N), in DC, BLACK cover.	<b>166,53 €</b>

## DORCAS® P and P II Special Series



	P/N	Model	Gear	Plates	Finish	Detail	Description	List Price
	<b>P II N 512</b>	P II N Series	140 mm x 24 mm x 39 mm	8	Black	Normal and Inverted Operation	P II Series Anti-panic Electric Lock, NORMAL (N) with INVERTED OPERATION, in AC. BLACK cover.	<b>169,24 €</b>
	<b>P II N 305</b>	P II N Series	140 mm x 24 mm x 39 mm	8	Black	Normal and Switching	P II Series Anti-panic Electric Lock, NORMAL (N) with COMMUTATION (acoustic and light signals, frequent in access controls), in AC. BLACK cover.	<b>170,30 €</b>
	<b>P II N 305 512</b>	P II N Series	140 mm x 24 mm x 39 mm	8	Black	Normal and Switching and Inverted Operation	P II Series Anti-Panic Electric Lock, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls) AND INVERTED OPERATION, in AC. BLACK cover.	<b>177,90 €</b>
	<b>P II Aa</b>	P II A Series	140 mm x 24 mm x 39 mm	8	Black	Normal and Invisible Automatic Operation	P II Series Anti-Panic Electric Lock, NORMAL (N) with INVISIBLE AUTOMATIC OPERATION. Suppresses the automatic's bolt, minimizing fitting trouble with the mechanical lock, in AC. BLACK cover. Referencing example: P II Aa / N (P II Anti-Panic Series, invisible automatic; cover in painted black).	<b>186,37 €</b>

→ [Accessories and options \(To be added to the unit price of the electric lock\) on page 309.](#)

## CDVI® Universal Electric Strikes for Panic Push Bar

	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>GAP12</b>	CDVI® Strike for Panic Push Bar GAP12	39 mm x 140 mm x 24 mm	12 VDC/VAC	Grey and Black	Normal Operation	Universal electric strikes for panic push bar, surface mount, NORMAL operation, 12 VDC/VAC. Includes terminal block + black casing and plate fillers. With built-in varistor (Electronic protection to eliminate back EMF).	<b>115,53 €</b>
	<b>GAPIP12</b>	CDVI® Strike for Panic Push Bar GAPIP12	39 mm x 140 mm x 24 mm	12 VDC	Grey and Black	Reversed Operation	Universal electric strikes for panic push bar, surface mount, NORMAL operation, 12 VDC/VAC. Includes terminal block + black casing and plate fillers. With built-in varistor (Electronic protection to eliminate back EMF) and door contact.	<b>173,40 €</b>
	<b>GAPP12</b>	CDVI® Strike for Panic Push Bar GAPP12	39 mm x 140 mm x 24 mm	12 VDC/VAC	Grey and Black	Normal Operation	Universal electric strikes for panic push bar, surface mount, NORMAL operation, 12 VDC/VAC. Includes terminal block + black casing and plate fillers. With built-in varistor (Electronic protection to eliminate back EMF). Door operated relocks.	<b>160,48 €</b>
	<b>GAPT12</b>	CDVI® Strike for Panic Push Bar GAPT12	39 mm x 140 mm x 24 mm	12 VDC/VAC	Grey and Black	Automatic Operation	Universal electric strikes for panic push bar, surface mount, AUTOMATIC operation, 12 VDC/VAC. Includes terminal block + black casing and plate fillers. With built-in varistor (Electronic protection to eliminate back EMF).	<b>123,75 €</b>
	<b>GAPI12</b>	CDVI® Strike for Panic Push Bar GAPI12	39 mm x 140 mm x 24 mm	12 VDC	Grey and Black	Reversed Operation	Abrepuertas eléctrico anti-pánico en surface, funcionamiento INVERTIDO, en 12 VDC. Incluye terminal de bloqueo y funda NEGRA + rellenos. Con varistor incorporado (Protección electrónica para eliminar EMF).	<b>139,05 €</b>
	<b>MECATP12</b>	CDVI® Strike Body for Panic Push Bar MECATP12	34 mm x 75 mm x 21 mm	12 VDC/VAC	Grey	Normal Operation	Electric strike body for panic push bar SYMMETRICAL and TO MORTICE, with NORMAL operation, 12 VDC/VAC. Includes terminal block. With built-in varistor (Electronic protection to eliminate back EMF).	<b>141,46 €</b>
	<b>MECA-TPP12</b>	CDVI® Strike Body for Panic Push Bar MECATPP12	34 mm x 75 mm x 21 mm	12 VDC/VAC	Grey	Normal Operation	Electric strike body for panic push bar SYMMETRICAL and TO MORTICE, with NORMAL operation, 12 VDC/VAC. Includes terminal block. With built-in varistor (Electronic protection to eliminate back EMF) and timed relocks.	<b>220,21 €</b>
	<b>MECA-TPT12</b>	CDVI® Strike Body for Panic Push Bar MECATPT12	34 mm x 75 mm x 21 mm	12 VDC/VAC	Grey	Automatic Operation	Electric strike body for panic push bar SYMMETRICAL and TO MORTICE, with NORMAL operation, 12 VDC/VAC. Includes terminal block. With built-in varistor (Electronic protection to eliminate back EMF). Door operated relocks.	<b>51,92 €</b>

## CDVI® Universal Electric Strikes for Panic Push Bar



	P/N	Model	Gear	Power	Finish	Detail	Description	List Price
	<b>MECATPI12</b>	CDVI® Strike Body for Panic Push Bar MECATPI12	34 mm x 75 mm x 21 mm	12 VDC	Grey	Reversed Operation	Electric strike body for panic push bar SYMMETRICAL and TO MORTICE, with REVERSED operation, 12 VDC/VAC. Includes terminal block. With built-in varistor (Electronic protection to eliminate back EMF).	<b>211,46 €</b>
	<b>MECATPIP12</b>	CDVI® Strike Body for Panic Push Bar MECATPIP12	34 mm x 75 mm x 21 mm	12 VDC	Grey	Reversed Operation	Electric strike body for panic push bar SYMMETRICAL and TO MORTICE, with REVERSED operation, 12 VDC/VAC. Includes terminal block. With built-in varistor (Electronic protection to eliminate back EMF) and timed relocks.	<b>183,00 €</b>

## Informative details regarding CDVI® Strikes for Panic Push Bar

Part Number	Description	List Price
BGAP	Metal casing and plate fillers, for MEC ATP series.	<b>98,45 €</b>
BATP	Metal casing, for MEC ATP series.	<b>89,71 €</b>
CPATP	Adjustable anti-pushing device for panic push bar's strike.	<b>19,50 €</b>



## DORCAS® C and C II Special Series





	P/N	Model	Gear	Cerradura	Finish	Detail	Description	List Price
	<b>CN/Q</b>	CN Series	190 mm x 45 mm x 27 mm	Mecánica	Niquel	Normal	C Series Electric Lock for glass doors, NORMAL (N), in AC. Nickel or chrome finishing.	<b>184,83 €</b>
	<b>CN/C</b>				Cromo			<b>222,72 €</b>
	<b>CND/Q</b>	CND Series	190 mm x 45 mm x 27 mm	Mecánica	Niquel	Normal and No-Unlocking	C Series Electric Lock for glass doors, NORMAL (N) with NO-UNBLOCKING SYSTEM (ND), in AC. Nickel or chrome finishing.	<b>186,09 €</b>
	<b>CND/C</b>				Cromo			<b>224,23 €</b>
	<b>CA/Q</b>	CA Series	190 mm x 45 mm x 27 mm	Mecánica	Niquel	Automatic	C Series Electric Lock for glass doors, AUTOMATIC (A), in AC. Nickel or chrome finishing. Referencing example: CA/Q (C glass Series. Pack of electric locks and mechanic lock for blade installation. Automatic, nickel finishing).	<b>187,41 €</b>
	<b>CA/C</b>				Cromo			<b>225,82 €</b>
	<b>CAD/Q</b>	CAD Series	190 mm x 45 mm x 27 mm	Mecánica	Niquel	Automatic and No-Unlocking	C Series Electric Lock for glass doors, AUTOMATIC (A) with NO-UNBLOCKING SYSTEM (AD), in AC. Nickel or chrome finishing.	<b>188,75 €</b>
	<b>CAD/C</b>				Cromo			<b>227,44 €</b>
	<b>CII N/G</b>	CII N Series	190 mm x 45 mm x 27 mm	Articulada	Grey	Normal	C II Series Electric Lock for glass doors, NORMAL (N), in AC. Gray or stainless finishing. Referencing example: CII N/X (C II glass Series. Jointed electric lock for its installation on ceiling or wall. Abrepuertas eléctrico para puertas de cristal Serie CII NORMAL (N), en Current Alterna. Finish gris o inox. Ejemplo de referenciado: CII N/X (Serie C II cristal. Normal, stainless steel).	<b>213,64 €</b>
	<b>CII N/X</b>				Stainless			<b>256,37 €</b>
	<b>CII A/G</b>	CII A Series	190 mm x 45 mm x 27 mm	Articulada	Grey	Automatic	C II Series Electric Lock for glass doors, AUTOMATIC (A), in AC. Gray or stainless finishing.	<b>222,21 €</b>
	<b>CII N/X</b>				Stainless			<b>266,65 €</b>
	<b>CII 512/G</b>	Series CII A	190 mm x 45 mm x 27 mm	Articulada	Grey	Reversed Operation	C II Series Electric Lock for glass doors, INVERTED OPERATION (DC). Gray or stainless finishing.	<b>231,65 €</b>
	<b>CII 512/X</b>				Stainless			<b>277,99 €</b>

→ Accessories and options (To be added to the unit price of the electric lock) on page 309.

## DORCAS® Serie Especial 52

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>52 N C.M.</b>	52 N Firewall Series	75.4 mm x 26 mm x 21 mm	N/A	Stainless	Normal	52 Special Series Electric Lock for fire doors, NORMAL (N), Abrepuertas eléctrico Serie Especial 52 para puertas cortafuego NORMAL (N), AC or DC to be chosen. Mechanism case only. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>202,80 €</b>
	<b>52 N/PX</b>	52 N PX Firewall Series	75.4 mm x 26 mm x 21 mm	Short (130 mm x 25 mm)	Stainless	Normal	52 Special Series Electric Lock for fire doors, NORMAL (N), AC or DC to be chosen. Mechanism case with SHORT escutcheon. Stainless color. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>217,36 €</b>
	<b>52 N/MX</b>	52 N MX Firewall Series	75.4 mm x 26 mm x 21 mm	Long (244 mm x 17 mm)	Stainless	Normal	52 Special Series Electric Lock for fire doors, NORMAL (N), AC or DC to be chosen. Mechanism case with LONG escutcheon. Stainless color. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>222,48 €</b>
	<b>52 N 512 C.M.</b>	52 N 512 Firewall Series	75.4 mm x 26 mm x 21 mm	N/A	Stainless	Normal and Inverted Operation	52 Special Series Electric Lock for fire doors, NORMAL (N) with INVERTED OPERATION, AC or DC to be chosen. Mechanism case only. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>263,39 €</b>
	<b>52 N/PX 512</b>	52 N 512 PX Firewall Series	75.4 mm x 26 mm x 21 mm	Short (130 mm x 25 mm)	Stainless	Normal and Inverted Operation	52 Special Series Electric Lock for fire doors, NORMAL (N) with INVERTED OPERATION, AC or DC to be chosen. Mechanism case with SHORT escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>298,51 €</b>
	<b>52 N/MX 512</b>	52 N 512 MX Firewall Series	75.4 mm x 26 mm x 21 mm	Long (244 mm x 17 mm)	Stainless	Normal and Inverted Operation	52 Special Series Electric Lock for fire doors, NORMAL (N) with INVERTED OPERATION, AC or DC to be chosen. Mechanism case with LONG escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>280,65 €</b>
	<b>52 N 305 C.M.</b>	52 N 305 Firewall Series	75.4 mm x 26 mm x 21 mm	N/A	Stainless	Normal and Switching	52 Special Series Electric Lock for fire doors, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls), in AC or DC to be chosen. Mechanism case only. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>248,98 €</b>
	<b>52 N/PX 305</b>	52 N 305 PX Firewall Series	75.4 mm x 26 mm x 21 mm	Short (130 mm x 25 mm)	Stainless	Normal and Switching	52 Special Series Electric Lock for fire doors, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls), in AC or DC to be chosen. Mechanism with SHORT escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>292,66 €</b>

## DORCAS® 52 Special Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>52 N/ MX 305</b>	52 N 305 MX Firewall Series	75.4 mm x 26 mm x 21 mm	Long (244 mm x 17 mm)	Stainless	Normal and Switching	52 Special Series Electric Lock for fire doors, NORMAL (N) with COMMUTATION (acoustic and light signals; frequent in access controls), in AC or DC to be chosen. Mechanism with LONG escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel. Referencing example: 52 N 305/MX (52 fire door Series. Normal and commutation; with M stainless long escutcheon).	<b>318,42 €</b>
	<b>52 A C.M.</b>	52 A Firewall Series	75.4 mm x 26 mm x 21 mm	N/A	Stainless	Automatic	52 Special Series Electric Lock for fire doors, AUTOMATIC (A), in AC or DC to be chosen. Mechanism case only. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>218,40 €</b>
	<b>52 A/PX</b>	52 A PX Firewall Series	75.4 mm x 26 mm x 21 mm	Short (130 mm x 25 mm)	Stainless	Automatic	52 Special Series Electric Lock for fire doors, AUTOMATIC (A), in AC or DC to be chosen. Mechanism case with SHORT escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>239,70 €</b>
	<b>52 A/MX</b>	52 A MX Firewall Series	75.4 mm x 26 mm x 21 mm	Long (244 mm x 17 mm)	Stainless	Automatic	52 Special Series Electric Lock for fire doors, AUTOMATIC (A), in AC or DC to be chosen. Mechanism case with LONG escutcheon. Stainless colour. RF (fire resistance) and EI (integrity and watertightness) approved. Totally made of steel.	<b>227,76 €</b>

→ [Accessories and options \(To be added to the unit price of the electric lock\) on page 309.](#)









## DORCAS® AR Special Series

	P/N	Model	Gear	Escutcheon	Finish	Detail	Description	List Price
	<b>AR N/G</b>	AR N G High Resistance Series	200 mm x 25 mm x 43 mm	Short (130 mm x 25 mm)	Grey	Normal	AR Special Series Electric Lock for high-resistance doors, NORMAL (N), in AC or DC to be chosen. Mechanism case with SHORT escutcheon. Gray colour. Totally made of steel.	<b>371,56 €</b>
	<b>AR N/G 512</b>	AR N 512 G High Resistance Series	200 mm x 25 mm x 43 mm	Short (130 mm x 25 mm)	Grey	Normal with inverted Operation	52 Special Series Electric Lock for fire doors, NORMAL (N) with INVERTED OPERATION, in AC or DC to be chosen. Mechanism case with SHORT escutcheon. Gray colour. Totally made of steel.	<b>390,06 €</b>
	<b>AR N/G 305 512</b>	AR N 305 512 G High Resistance Series	200 mm x 25 mm x 43 mm	Short (130 mm x 25 mm)	Grey	Normal and Switching	AR Special Series Electric Lock for fire doors, NORMAL (N) with COMMUTATION (luminous and light signals; frequent in access controls) and INVERTED OPERATION, in AC or DC to be chosen. Mechanism case with SHORT escutcheon. Gray colour. Totally made of steel.	<b>462,26 €</b>
	<b>AR A/G</b>	AR A G High Resistance Series	200 mm x 25 mm x 43 mm	Short (130 mm x 25 mm)	Grey	Automatic	52 Special Series Electric Lock for fire doors, AUTOMATIC (A), in AC or DC to be chosen. Mechanism case with SHORT escutcheon. Gray colour. Totally made of steel. Referencing example: AR A/ G (AR high-resistance Series. Normal; front in gray paint).	<b>384,17 €</b>

## Accessories and options (To be added to the unit price of the electric lock)

Part Number	Description	List Price
24 VDC	The standard electric reels oscilate between the 8 and the 12 volt range. You can also request 24 volt reels, taking into account a 7% increase upon the standardized variation.	<b>+7,00%</b>

## EM DORCAS® Suction Pads

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>M 08</b>	M 08 Electromagnetic Suction Pad	34.5 mm x 200 mm x 3 mm	33.5 mm x 130 mm x 9 mm	N/A	180 kg	Embeddable suction pad. 180 kg withholding.	<b>151,50 €</b>
	<b>M 11</b>	M 11 Electromagnetic Suction Pad	39 mm x 228 mm x 3 mm	38 mm x 185 mm x 9 mm	N/A	300 kg	Embeddable suction pad. 300 kg withholding.	<b>123,20 €</b>
	<b>M 554</b>	M 554 Electromagnetic Suction Pad	31 mm x 165 mm x 3 mm	31 mm x 165 mm x 21.4 mm	N/A	750 kg	Embeddable suction pad. 750 kg withholding.	<b>536,09 €</b>
	<b>M 18</b>	M 18 Electromagnetic Suction Pad	34.5 mm x 165 mm x 21 mm	N/A	N/A	180 kg	Suction pad for overlapping. 180 kg withholding.	<b>151,50 €</b>
	<b>M 33</b>	M 33 Electromagnetic Suction Pad	42 mm x 254 mm x 25 mm	38 mm x 185 mm x 11 mm	N/A	300 kg	Suction pad for overlapping. 300 kg withholding.	<b>125,69 €</b>
	<b>M 22</b>	M 22 Electromagnetic Suction Pad	66 mm x 265 mm x 40.5 mm	60 mm x 185 mm x 12 mm	N/A	500 kg	Suction pad for overlapping. 500 kg withholding.	<b>177,00 €</b>
	<b>M 3333</b>	M 3333 Electromagnetic Suction Pad	42 mm x 254 mm x 25 mm	38 mm x 185 mm x 11 mm	N/A	600 kg	Suction pad for overlapping. 600 kg withholding.	<b>374,33 €</b>
	<b>M 2222</b>	M 2222 Electromagnetic Suction Pad	66 mm x 265 mm x 40.5 mm	60 mm x 185 mm x 12 mm	N/A	1000 kg	Suction pad for overlapping. 1.000 kg withholding.	<b>452,67 €</b>

## EM DORCAS® Suction Pads





	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>M 544</b>	M 544 Electromagnetic Suction Pad	31 mm x 165 mm x 3 mm	31 mm x 165 mm x 21.4 mm	N/A	800 kg	Suction pad for overlapping. 800 kg withholding. The M 544 suction pad allows a loose horizontal, vertical and side movement, so the fitting is easier. An ideal item for glass and swinging doors. Equipped with a pulling handle.	<b>729,84 €</b>

## Accessories and fixing options

Part Number	Description	List Price
L 3	For fixing M 33 and M 3333 models.	<b>36,94 €</b>
L 2	For fixing M 22 and M 2222 models.	<b>43,71 €</b>
LZ 18	For M 18.	<b>81,43 €</b>
Z	For fixing M 22, M 33, M 2222 and M 3333 models.	<b>46,91 €</b>
U	For glass doors. The U fixing is compatible with all models except M 18 and M22.	<b>49,57 €</b>







## EM DORCAS® Retainers

	P/N	Model	Size	Voltage	Consumo	Retención	Description	List Price
	<b>RT 20</b>	RT 20 Electromagnetic Retainer	70 mm x 85 mm x 45.5 mm	24 VDC / 48 VDC	24 mA / 24 mA	20 kg	Wall retainer. 20 kg withholding.	<b>53,78 €</b>
	<b>RT 50</b>	RT 50 Electromagnetic Retainer	70 mm x 85 mm x 45.5 mm	24 VDC / 48 VDC	80 mA / 48mA	50 kg	Wall retainer. 50 kg withholding.	<b>54,88 €</b>
	<b>PRT 20</b>	PRT 20 Electromagnetic Retainer	112 mm x 124 mm x 60 mm	24 VDC / 48 VDC	24 mA / 24 mA	20 kg	Wall retainer. 20 kg withholding.	<b>70,96 €</b>
	<b>PRT 50</b>	PRT 50 Electromagnetic Retainer	112 mm x 124 mm x 60 mm	24 VDC / 48 VDC	80 mA / 48 mA	50 kg	Wall retainer. 50 kg withholding.	<b>72,06 €</b>









## → Informative details regarding EM DORCAS® retainers

Electromagnetic retainers are used on fire doors in order to keep them open. The kit is supplied with two platens: a fixed one for simple-angle doors, and a mobile one, which is an ideal option when the installation angle is trickier. Inversed operation, DC. It offers two possibilities for closing the door: if we shut it, the current will be automatically stopped; but we can also close it manually by tapping the red button, located on the upper part, so the fire won't expand. Operates by 24 or 48 volts. Must specify the desired voltage.

## CDVI® Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>ECM5000</b>	CDVI® ECM5000 Electromagnetic Lock	38 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey Cromo	300 kg	EM Lock, mortice mount. Holding force: 300 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>68,73 €</b>
	<b>ECM5000M</b>	CDVI® ECM5000M Electromagnetic Lock	38 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Black	300 kg	EM Lock, mortice mount, monitored (realy + door contact). Holding force: 300 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>71,57 €</b>
	<b>ECS5000</b>	CDVI® ECS5000 Electromagnetic Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey	300 kg	EM Lock, surface mount. Holding force: 300 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>78,50 €</b>
	<b>ECS5000M</b>	CDVI® ECS5000M Electromagnetic Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey	300 kg	EM Lock, surface mount, monitored (realy + door contact). Holding force: 300 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>86,38 €</b>
	<b>ECS8000</b>	CDVI® ECS8000 Electromagnetic Lock	67 mm x 273 mm x 41 mm	38 mm x 185 mm x 11 mm	Grey	500 kg	EM Lock, surface mount. Holding force: 500 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>109,50 €</b>
	<b>ECS8000M</b>	CDVI® ECS8000M Electromagnetic Lock	67 mm x 273 mm x 41 mm	60 mm x 185 mm x 12 mm	Grey	500 kg	EM Lock, surface mount, monitored (realy + door contact). Holding force: 500 Kgs. Powered at 12/24 VCD. Built-in varistor (Electronic protection to eliminate back EMF).	<b>124,93 €</b>

## CDVI® Illuminated Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>V3S</b>	CDVI® V3S Electromagnetic Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey with Blue Led	300 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 300 Kgs. BLUE color LED (POWER ON). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>115,38 €</b>
	<b>V3SR</b>	CDVI® V3SR Electromagnetic Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey with Red Led	300 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 300 Kgs. RED color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>131,45 €</b>
	<b>V3SRB</b>	CDVI® V3SRB Electromagnetic Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey with Red Led	300 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 300 Kgs. BLUE color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door + BEEPER). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>153,35 €</b>
	<b>V4S</b>	CDVI® V4S Electromagnetic Lock	50 mm x 254 mm x 29 mm	45 mm x 185 mm x 12 mm	Grey with Blue Led	400 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 400 Kgs. BLUE color LED (POWER ON). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>133,63 €</b>
	<b>V4SR</b>	CDVI® V4SR Electromagnetic Lock	50 mm x 254 mm x 29 mm	45 mm x 185 mm x 12 mm	Grey with Red Led	400 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 400 Kgs. RED color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>143,33 €</b>
	<b>V4SRB</b>	CDVI® V4SRB Electromagnetic Lock	50 mm x 254 mm x 29 mm	45 mm x 185 mm x 12 mm	Grey with Red Led	400 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 400 Kgs. BLUE color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door + BEEPER). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>163,98 €</b>
	<b>V5S</b>	CDVI® V5S Electromagnetic Lock	67 mm x 273 mm x 41 mm	60 mm x 185 mm x 12 mm	Grey with Blue Led	500 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 500 Kgs. BLUE color LED (POWER ON). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>157,55 €</b>
	<b>V5SR</b>	CDVI® V5SR Electromagnetic Lock	67 mm x 273 mm x 41 mm	60 mm x 185 mm x 12 mm	Grey with Green Led	500 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 500 Kgs. RED color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>170,83 €</b>

## CDVI® Illuminated Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>V5SRB</b>	CDVI® V5SRB Electromagnetic Lock	67 mm x 273 mm x 41 mm	60 mm x 185 mm x 12 mm	Grey with Blue Led	500 kg	EM Lock, surface mount, monitored (relay + door contact). Holding force: 500 Kgs. BLUE color (CLOSED-BLOCKED door) and GREEN color LED (OPEN door + BEEPER). Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>185,53 €</b>


## CDVI® Double Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>SD300M</b>	CDVI® SD300M DUAL Electromagnetic Lock	38 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Double electromagnetic lock, monitored (with relay + door contact). Holding force: 2 x 300 Kgs. Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>221,63 €</b>
	<b>SD500M</b>	CDVI® SD500M DUAL Electromagnetic Lock	38 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Double electromagnetic lock, monitored (with relay + door contact). Holding force: 2 x 500 Kgs. Includes safety rope. Built-in varistor (Electronic protection to eliminate back EMF).	<b>315,00 €</b>




## Other CDVI® Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>V1SR</b>	CDVI® V1SR Electromagnetic Lock	34 mm x 167 mm x 21 mm	32 mm x 130 mm x 9 mm	Grey/Black	180 kg	EM Lock, narrow surface mount, monitored (lock status). Complete with armature plate. Holding force: 180 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>96,55 €</b>
	<b>I180SR</b>	CDVI® I180SR Electromagnetic Lock	32.5 mm x 175 mm x 22 mm	32 mm x 130 mm x 9 mm	Grey Stainless	300 kg	EM Lock, surface mount, monitored (lock status). Complete with armature plate. Holding force: 180 Kgs. Built-in varistor (Electronic protection to eliminate back EMF) and safety rope. Outdoor installation. Made of stainless-steel.	<b>202,00 €</b>
	<b>I400SR</b>	CDVI® I400SR Electromagnetic Lock	43,5 mm x 230 mm x 29,5 mm	45 mm x 185 mm x 12 mm	Grey Stainless	300 kg	EM Lock, surface mount, monitored (lock status). Complete with armature plate. Holding force: 400 Kgs. Built-in varistor (Electronic protection to eliminate back EMF) and safety rope. Outdoor installation. Made of stainless-steel.	<b>255,00 €</b>





## Other CDVI® Surface Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>I500SR</b>	CDVI® I500SR Electromagnetic Lock	61 mm x 230 mm x 41 mm	60 mm x 185 mm x 12 mm	Grey Stainless	500 kg	EM Lock, surface mount, monitored (lock status). Complete with armature plate. Holding force: 500 Kgs. Built-in varistor (Electronic protection to eliminate back EMF) and safety rope. Outdoor installation. Made of stainless-steel.	<b>353,00 €</b>

## CDVI® Mortice Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>V3E</b>	CDVI® V3E Electromagnetic Lock	39 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Mortice mount electromagnetic lock. Complete with armature plate. Holding force: 300 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>102,75 €</b>
	<b>V3ER</b>	CDVI® V3ER Electromagnetic Lock	39 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Mortice mount electromagnetic lock. Complete with armature plate. Monitored (lock status). Holding force: 300 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>118,83 €</b>
	<b>V3E35R</b>	CDVI® V3E35R Electromagnetic Lock	35 mm x 205 mm x 24.5 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Mortice mount electromagnetic lock. Complete with armature plate. Narrow installation (35.5 mm). Monitored (lock status). Holding force: 300 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>95,18 €</b>
	<b>V3E36R</b>	CDVI® V3E36R Electromagnetic Lock	36 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Mortice mount electromagnetic lock. Complete with armature plate. Narrow installation (36 mm). Monitored (lock status). Holding force: 300 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>115,98 €</b>
	<b>V4E</b>	CDVI® V4E Electromagnetic Lock	44 mm x 228 mm x 29.5 mm	45 mm x 185 mm x 12 mm	Grey/Black	400 kg	Mortice mount electromagnetic lock. Complete with armature plate. Holding force: 400 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>119,70 €</b>
	<b>V4ER</b>	CDVI® V4ER Electromagnetic Lock	44 mm x 228 mm x 29.5 mm	45 mm x 185 mm x 12 mm	Grey/Black	400 kg	Mortice mount electromagnetic lock. Complete with armature plate. Monitored (lock status). Holding force: 400 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>137,13 €</b>

## CDVI® Mortice Mount EM Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>V5E</b>	CDVI® V5E Electromagnetic Lock	64 mm x 228 mm x 37.5 mm	60 mm x 185 mm x 12 mm	Black	500 kg	Mortice mount electromagnetic lock. Complete with armature plate. Holding force: 500 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation.	<b>143,50 €</b>
	<b>I180ER</b>	CDVI® I180ER Electromagnetic Lock	32 mm x 201 mm x 22 mm	32 mm x 130 mm x 9 mm	Grey Stainless	180 kg	Mortice mount electromagnetic lock. Complete with armature plate. Monitored (lock status). Holding force: 180 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Outdoor installation. Made of stainless-steel.	<b>196,00 €</b>
	<b>V1ER</b>	CDVI® V1ER Electromagnetic Lock	34 mm x 167 mm x 21 mm	32 mm x 130 mm x 9 mm	Grey	300 kg	Mortice narrow mount electromagnetic lock. Complete with armature plate. Holding force: 180 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12 VDC.	<b>96,53 €</b>
	<b>V3E32</b>	CDVI® V3E32 Electromagnetic Lock	32 mm x 300 mm x 28 mm	33 mm x 250 mm x 11 mm	Grey	300 kg	Mortice narrow mount electromagnetic lock. Complete with armature plate. Holding force: 300 Kgs. Built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12 VDC.	<b>190,00 €</b>

## CDVI® Self-Aligning Electromagnetic Shearlocks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>PWM25ER</b>	CDVI® PWM25ER Self-Aligning EM Shearlock	25 mm x 243 mm x 35 mm	25 mm x 243 mm x 22 mm	Grey/Black	800 kg	Self-Aligning electromagnetic shearlocks, mortice mount, for narrow profiles (25 mm), monitored (lock status). Holding force: 800 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC.	<b>399,88 €</b>
	<b>PWM25SR</b>	CDVI® PWM25SR Self-Aligning EM Shearlock	25 mm x 243 mm x 35 mm	25 mm x 243 mm x 22 mm	Grey	800 kg	Self-Aligning electromagnetic shearlocks, surface mount, for narrow profiles (25 mm), monitored (lock status). Holding force: 800 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC.	<b>529,18 €</b>
	<b>PWM25-SRSP</b>	CDVI® PWM25SRSP Self-Aligning EM Shearlock	25 mm x 243 mm x 35 mm	25 mm x 243 mm x 22 mm	Grey	800 kg	Self-Aligning electromagnetic shearlocks, surface mount, for narrow profiles (25 mm), monitored (lock status). Holding force: 800 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC. RAL selection available.	<b>799,18 €</b>



## CDVI® Self-Aligning Electromagnetic Shearlocks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>PWM25S-RRALNOIR</b>	CDVI® PWM25SRRALNOIR Self-Aligning EM Shearlock	25 mm x 243 mm x 35 mm	25 mm x 243 mm x 22 mm	Black	800 kg	Self-Aligning electromagnetic shearlocks, surface mount, for narrow profiles (25 mm), monitored (lock status). Holding force: 800 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC. BLACK RAL.	<b>927,50 €</b>
	<b>CZ3000</b>	CDVI® CZ3000 Self-Aligning EM Shearlock	38 mm x 228 mm x 27 mm	38 mm x 185 mm x 11 mm	Grey/Black	1500 kg	Self-Aligning electromagnetic shearlocks, mortice mount, for narrow profiles (30 mm), monitored (lock status). Holding force: 1.500 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC.	<b>271,25 €</b>
	<b>SHL1200</b>	CDVI® SHL1200 Self-Aligning EM Shearlock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey/Black	1200 kg	Self-Aligning electromagnetic shearlocks, mortice mount, for narrow profiles (30 mm), monitored (lock status). Holding force: 1.500 Kgs. With built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. 12/24 VDC. Possible adjustment of more than 6mm between the electromagnetic lock and the armature.	<b>914,08 €</b>



## Accessories and options for CDVI® Self-Aligning EM Shearlocks

Part Number	Description	List Price
KCZ3000	Profile surface adapter for CDVI® CZ3000 electromagnetic shearlock.	<b>161,00 €</b>
KSHL	Surface mounting kit for CDVI® SHL1200 electromagnetic shearlock.	<b>285,83 €</b>

## CDVI® Electromagnetic Retainers for Fire-Resistant Doors

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>VIE5024</b>	CDVI® VIE5024 Electromagnetic Retainer	77 mm x 85 mm x 39.6 mm	60 mm x 60 mm x 52 mm	Grey	50 kg	Wall mounted retainer. Holding force: 50 Kgs. REVERSED operation. Indoor installation. 24 VDC.	<b>34,63 €</b>
	<b>VIRA5024</b>	CDVI® VIRA5024 Electromagnetic Retainer	80 mm x 88 mm x 42 mm	60 mm x 60 mm x 52 mm	White	50 kg	Wall mounted retainer. Holding force: 50 Kgs. REVERSED operation. Indoor installation. 24 VDC. Supplied with a universal armature.	<b>38,93 €</b>


## Retenedor EM CDVI® para Puertas Short Fuego

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>VIRP5024</b>	CDVI® VIRP5024 Electromagnetic Retainer	112 mm x 124 mm x 60 mm	60 mm x 60 mm x 52 mm	White	50 kg	Wall/floor mounted retainer. Holding force: 50 Kgs. REVERSED operation. Indoor installation. 24 VDC. Supplied with a universal armature.	<b>47,68 €</b>
	<b>VIR5024</b>	CDVI® VIR5024 Electromagnetic Retainer	70 mm x 100 mm x 44.5 mm	60 mm x 60 mm x 52 mm	White	50 kg	Wall mounted retainer. Holding force: 50 Kgs. REVERSED operation. Indoor installation. 24 VDC. Supplied with a universal armature and fixing stand.	<b>31,80 €</b>

## Accessories and options for CDVI® Electromagnetic Retainers

Part Number	Description	List Price
SUPVR	Electromagnetic lock optional fixing stand for wall or floor mount	<b>32,05 €</b>
SUPVRREG	Electromagnetic lock optional fixing stand for wall or floor mount. Adjustable between 15 and 30cm.	<b>45,83 €</b>

## CDVI® Stand-alone RF Electromagnetic Locks

	P/N	Model	Activo	Pasivo	Finish	Retención	Description	List Price
	<b>VR3</b>	CDVI® VR3 Stand-alone RF EM Lock	45 mm x 254 mm x 28 mm	38 mm x 185 mm x 11 mm	Grey/Black	300 kg	Stand-alone RF electromagnetic lock. Surface mount. Holding force: 300 Kgs. With safety rope and built-in varistor (Electronic protection to eliminate back EMF). Indoor installation. Includes 1 RF remote controller.	<b>251,00 €</b>


## Accessories and options for CDVI® Stand-alone RF Electromagnetic Locks

Part Number	Description	List Price
ER	4 channels RF remote controller.	<b>43,53 €</b>

## Accessories and options for CDVI® Electromagnetic Locks

Part Number	Description	List Price
L3L4	"L" brackets. Installation with one "L" for outward opening doors. For 300 and 400 Kgs CDVI® locks.	17,80 €
L5	"L" brackets. Installation with one "L" for outward opening doors. For 500 Kgs CDVI® locks.	23,26 €
L3L4NFS	"L" brackets. Installation with one "L" for outward opening doors. For 300 and 400 Kgs CDVI® locks. NFS references.	43,04 €
L5NFS	"L" brackets. Installation with one "L" for outward opening doors. For 500 Kgs CDVI® locks. NFS references.	48,13 €
LZ180	"L" + "Z" bracket for CDVI® 180 Kg electromagnetic locks.	58,17 €
Z3Z4Z5	"Z" bracket for CDVI® 300, 400 and 500 Kg electromagnetic locks.	28,72 €
AMA3	AMA3 and AMA5 are surface armature housings that allow the fixing of 300, 400 or 500kg armature on any type of surface (on glass door with a UBKU).	32,52 €
AMA5	AMA3 and AMA5 are surface armature housings that allow the fixing of 300, 400 or 500kg armature on any type of surface (on glass door with a UBKU).	38,30 €
UBKU	The UBKs are U-brackets for mounting magnetic locks on glass doors: UBKU = armature plate installation.	69,67 €
UBKP	The UBKs are U-brackets for mounting magnetic locks on glass doors: UBKP = U-braket for electromagnetic lock and solenoid bolt lock.	44,13 €
TPV	Timer relay for electomagnetic locks. The TPV will handle up to 2 magnetic locks.	47,13 €
CABV	Extension cable for electromagnetic locks. Extension cable with terminal block with or without monitoring.	16,09 €
DPM300	Door Position Monitoring. Door status contact for 300kg electromagnetic locks.	25,00 €
DPM400	Door Position Monitoring. Door status contact for 400kg electromagnetic locks.	25,00 €
DPM500	Door Position Monitoring. Door status contact for 500kg electromagnetic locks.	25,00 €

## CDVI® Solenoid Bolt Locks

	P/N	Model	Size	Contacts	Finish	Setting-up	Description	List Price
	<b>DX200I</b>	CDVI® Solenoid Bolt Lock DX200I	48 mm x 212 mm x 22 mm	1	Silver	Embedded	High security solenoid bolt lock. Free voltage: 12 to 24 VDC. Dead locking and spinning bolt with diameter of 14mm. Dry contact outputs (lock and door status). Round edges of the faceplate. Dimensions of the faceplate and the front face are identical, allowing the two elements to be inverted if required. Timer and monitored.	<b>178,50 €</b>

## Accessories and options for CDVI® Solenoid Bolt Locks

Part Number	Description	List Price
KDX200	Surface mount housing.	<b>237,03 €</b>

# 10.4 | MOUNTING ELEMENTS

## Rim Door loops & Door Loops




### Rim Door Loops

	P/N	Model	Size	Contacts	Finish	Setting-up	Description	List Price
	<b>2C B</b>	DORCAS® Rim door loop 2C B	N/A	2	White	Embedded	The 2C B battery cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. In white.	<b>8,09 €</b>
	<b>2C N</b>	DORCAS® Rim door loop 2C N	70 mm x 13 mm	2	Black	Embedded	The 2C N battery cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. In black.	<b>8,74 €</b>
	<b>3C</b>	DORCAS® Rim door loop 3C	70 mm x 13 mm	3	Black	Embedded	The 3C battery cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. Triple contact.	<b>10,17 €</b>
	<b>4C</b>	DORCAS® Rim door loop 4C	N/A	4	Stainless	Embedded	The 4C lock contact is inserted in the escutcheon cut-out and has a switch that notifies wheter the latch is open or not	<b>13,46 €</b>
	<b>C2P</b>	CDVI® Rim door loop C2P	13 mm x 70 mm x 27 mm	2	Grey	Embedded	The C2P cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. In white. 2 contacts.	<b>7,18 €</b>
	<b>C3P</b>	CDVI® Rim door loop C3P	50 mm x 254 mm x 29 mm	3	Grey	Embedded	The C2P cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. In white. 3 contacts.	<b>11,13 €</b>
	<b>C5P</b>	CDVI® Rim door loop C5P	67 mm x 273 mm x 41 mm	5	Black	Embedded	The C2P cable allows the current to flow. One part is embedded on the frame while the other goes to the blade. In white. 5 contacts.	<b>52,50 €</b>

# 10.4 | MOUNTING ELEMENTS

## Rim Door loops & Door Loops

### Door loops






	P/N	Model	Size	Contacts	Finish	Setting-up	Description	List Price
	<b>X1</b>	DORCAS® X1 Door Loop	300 mm	Variable (2 wire or 4-wire not included)	Chrome	Override (make room in profile)	300 mm long flexible rim door loop.	<b>18,03 €</b>
	<b>X2</b>	DORCAS® X2 Door Loop	260 mm	Variable (2 wire or 4-wire not included)	Chrome	Override (make room in profile)	260 mm long flexible rim door loop.	<b>59,71 €</b>
	<b>X2 B</b>	DORCAS® X2 B Door Loop	510 mm	Variable (2 wire or 4-wire not included)	Chrome	Override (make room in profile)	510 mm long flexible rim door loop.	<b>75,40 €</b>
	<b>DL400</b>	CDVI® DL400 Door Loop	210 mm	N/A	Stainless	Override (make room in profile)	Door loops: metal made. They facilitate the entry of the cables used for the locking device: 210mm - metal.	<b>28,18 €</b>
	<b>FLEX30</b>	CDVI® FLEX30 Door Loop	300 mm	N/A	Grey Chrome	Override (make room in profile)	Door loops: stainless-steel made. They facilitate the entry of the cables used for the locking device: 300mm - stainless-steel.	<b>10,25 €</b>
	<b>FLEX60</b>	CDVI® FLEX60 Door Loop	600 mm	N/A	Grey Chrome	Override (make room in profile)	Door loops: stainless-steel made. They facilitate the entry of the cables used for the locking device: 600mm - stainless-steel.	<b>12,13 €</b>



# 10.4 | MOUNTING ELEMENTS

## Switches





### Exit Switch

	P/N	Model	Size	Type	Finish	Application	Description	List Price
	<b>RTE001S</b>	CDVI® RTE001S Exit Switch	85 mm x 85 mm x 1 mm	Surface mount	Plastic	Indoor	Indoor standard exit switch. Plastic exit switch for internal use. Supplied with a surface back box, the platform is the UK standard back box, therefore the switch will fit on all UK single gang flush boxes.	<b>22,42 €</b>
	<b>RTE002S</b>	CDVI® RTE002S Exit Switch	85 mm x 38 mm x 1 mm	Surface mount	Plastic	Indoor	Indoor narrow exit switch. Plastic exit switch for internal use. Supplied with a surface narrow back box.	<b>26,73 €</b>
	<b>RTE001F</b>	CDVI® RTE001F Exit Switch	85 mm x 85 mm x 1 mm	Flush mounting	Plastic	Indoor	Indoor standard exit switch. Plastic exit switch for internal use. Supplied for flush mounting, the platform is the UK standard back box, therefore the switch will fit on all UK single gang flush boxes.	<b>15,10 €</b>
	<b>RTE002F</b>	CDVI® RTE002F Exit Switch	85 mm x 38 mm x 1 mm	Flush mounting	Plastic	Indoor	Indoor narrow exit switch. Plastic exit switch for internal use. Supplied for flush mounting.	<b>16,83 €</b>
	<b>RTE-SF</b>	CDVI® RTE-SF Exit Switch	85 mm x 85 mm x 2 mm	Flush mounting	Stainless Steel	Indoor and Outdoor	Stainless steel exit switch. Surface mount. Brushed stainless effect.	<b>37,85 €</b>
	<b>RTE-SS</b>	CDVI® RTE-SS Exit Switch	85 mm x 85 mm x 30 mm	Surface mount	Stainless Steel	Indoor and Outdoor	Stainless steel exit switch. Flush mount.	<b>62,50 €</b>
	<b>RTE-AF</b>	CDVI® RTE-AF Exit Switch	85 mm x 38 mm x 2 mm	Flush mounting	Stainless Steel	Indoor and Outdoor	Architrave stainless steel exit switch. Surface mount.	<b>41,13 €</b>
	<b>RTE-AS</b>	CDVI® RTE-AS Exit Switch	85 mm x 38 mm x 29 mm	Surface mount	Stainless Steel	Indoor and Outdoor	Architrave stainless steel exit switch. Flush mount.	<b>63,33 €</b>



# 10.4 | MOUNTING ELEMENTS

## Switches

### Exit Switch

	P/N	Model	Size	Type	Finish	Application	Description	List Price
	<b>RTE-SFD</b>	CDVI® RTE-SFD Exit Switch	85 mm x 85 mm x 2 mm	Flush mounting	Stainless Steel	Indoor and Outdoor	High impact green dome exit button. The green dome is particularly suited for users who require a larger "target" button. Flush mount.	<b>64,15 €</b>
	<b>RTE-SSD</b>	CDVI® RTE-SSD Exit Switch	85 mm x 85 mm x 30 mm	Surface mount	Stainless Steel	Indoor and Outdoor	High impact green dome exit button. The green dome is particularly suited for users who require a larger "target" button. Surface mount. Brushed stainless effect.	<b>86,83 €</b>
	<b>BNONFE</b>	CDVI® BNONFE Push Button	Ø 22 mm x 35 mm	Flush mounting	Stainless Steel	Indoor and Outdoor	Push button with Silver plated contact switch. Cast aluminium body and stainless steel. Wires with lug supplied. NO and NC contact outputs with 2 separate contacts. Easy to mount (19MM hole). Heavy duty.	<b>66,61 €</b>
	<b>BPN ONFE</b>	CDVI® BPNONFE Push Button	Ø 22 mm x 35 mm + 80 mm x 38 mm	Flush mounting	Stainless Steel	Indoor and Outdoor	Push button with Silver plated contact switch. Cast aluminium body and stainless steel. Wires with lug supplied. NO and NC contact outputs with 2 separate contacts. Easy to mount (19MM hole). Heavy duty. With a stainless steel plate.	<b>81,90 €</b>









### Emergency Exit Switch

	P/N	Model	Size	Type	Finish	Application	Description	List Price
	<b>BBGP2V</b>	CDVI® BBGP2V Emergency Exit Switch	85 mm x 85 mm x 48 mm	Surface mount	Plastic	Indoor	Emergency door release unit with flexible membrane. Resettable. Green. Surface mount. Protective cover. Double pole. Dimensions (L x W x D): 85 x 85 x 48mm. IP 54.	<b>40,00 €</b>
	<b>MCP3A-G000 SFA2 1201</b>	KAC® MCP3A Emergency Exit Switch	93 mm x 89 mm x 32 mm	Surface mount	Plastic	Indoor	MCP Indoor Call Point Range. NO/NC Contact Model. Green. 30VDC. IP24D. Surface mount. Material: PC/ABS.	<b>24,00 €</b>

# 10.4 | MOUNTING ELEMENTS

## Short Escutcheon

### DORCAS® Short Escutcheons

	P/N	Model	Size	Finish	Application	Description	List Price
	<b>BG</b>	B Short escutcheon	110 mm x 25 mm	Grey	S/C	110 x 25 mm escutcheon, no cut-outs, to be used on unlocked locks.	<b>2,15 €</b>
	<b>BX</b>			Stainless			<b>5,83 €</b>
	<b>BL</b>			Brass			<b>6,03 €</b>
	<b>PG</b>	P Short escutcheon	130 mm x 25 mm	Grey	S/C	130 x 25 mm escutcheon, no cut-outs, to be used on unlocked locks.	<b>2,15 €</b>
	<b>PX</b>			Stainless			<b>5,83 €</b>
	<b>PL</b>			Brass			<b>6,03 €</b>
	<b>SG</b>	S Short escutcheon	160 mm x 25 mm	Grey	S/C	160 x 25 mm escutcheon, no cut-outs, to be used on unlocked locks.	<b>2,15 €</b>
	<b>SX</b>			Stainless			<b>5,83 €</b>
	<b>SL</b>			Brass			<b>6,03 €</b>
	<b>BG 22mm</b>	B 22 Short escutcheon	110 mm x 22 mm	Grey	S/C	110 x 22 mm escutcheon, no cut-outs, to be used on unlocked locks. European profile.	<b>2,15 €</b>
	<b>BX 22mm</b>			Stainless			<b>5,83 €</b>
	<b>BL 22mm</b>			Brass			<b>6,03 €</b>
	<b>PG 22mm</b>	P 22 Short escutcheon	130 mm x 22 mm	Grey	S/C	130 x 22 mm escutcheon, no cut-outs, to be used on unlocked locks. European profile.	<b>2,15 €</b>
	<b>PX 22mm</b>			Stainless			<b>5,83 €</b>
	<b>PL 22mm</b>			Brass			<b>6,03 €</b>
	<b>SG 22mm</b>	S 22 Short escutcheon	160 mm x 25 mm	Grey	S/C	60 x 22 mm escutcheon, no cut-outs, to be used on unlocked locks. European profile.	<b>2,15 €</b>
	<b>SX 22mm</b>			Stainless			<b>5,83 €</b>
	<b>SL 22mm</b>			Brass			<b>6,03 €</b>
	<b>F 53 G</b>	F 53 Short escutcheon	160 mm x 27 mm x 30.7 mm	Grey	S/C	160 x 25 x 30 mm escutcheon, no cut-outs, to be used on unlocked locks. Straight edge angular.	<b>5,56 €</b>
	<b>F 53 X</b>			Stainless			<b>7,24 €</b>
	<b>F 53 L</b>			Brass			<b>7,94 €</b>
	<b>F 54 G</b>	F 54 Short escutcheon	160 mm x 30.3 mm x 26.6 mm	Grey	S/C	160 x 25 x 30 mm escutcheon, no cut-outs, to be used on unlocked locks. Straight edge angular.	<b>5,56 €</b>
	<b>F 54 X</b>			Stainless			<b>7,24 €</b>
	<b>F 54 L</b>			Brass			<b>7,94 €</b>







# 10.4 | MOUNTING ELEMENTS

## Long Escutcheon

Accessories and options (To be added to the unit price of the escutcheon)

P/N	Description	List Price
B	White paint: the price equals G (gray).	0,00 €
N	Black paint: the price equals G (gray).	0,00 €
P	Silver: 5% increase upon G (gray).	+5,00%
O	Gold: 6% increase upon G (gray).	+6,00%









### DORCAS® Long Escutcheons

	P/N	Model	Gear	Finish	Aplication	Description	List Price
	<b>G G</b>	G Long escutcheon	250 mm x 25.2 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For sliding locks.	<b>3,03 €</b>
	<b>G X</b>			Stainless			<b>6,80 €</b>
	<b>G L</b>			Brass			<b>7,07 €</b>
	<b>M G</b>	M Long escutcheon	250 mm x 25.2 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For multipurpose locks.	<b>3,03 €</b>
	<b>M X</b>			Stainless			<b>6,80 €</b>
	<b>M L</b>			Brass			<b>7,07 €</b>
	<b>L G</b>	L Long escutcheon	250 mm x 25.2 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For hook and sliding locks.	<b>3,03 €</b>
	<b>L X</b>			Stainless			<b>6,80 €</b>
	<b>L L</b>			Brass			<b>7,07 €</b>
	<b>T G</b>	T Long escutcheon	250 mm x 25 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For hook locks.	<b>3,03 €</b>
	<b>T X</b>			Stainless			<b>6,80 €</b>
	<b>T L</b>			Brass			<b>7,07 €</b>
	<b>GE G</b>	GE Long escutcheon	250 mm x 25.2 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For hook locks.	<b>3,03 €</b>
	<b>GE X</b>			Stainless			<b>6,80 €</b>
	<b>GE L</b>			Brass			<b>7,07 €</b>
	<b>OVAL G</b>	OVAL Long escutcheon	N/A	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For bolt locks.	<b>3,03 €</b>
	<b>OVAL X</b>			Stainless			<b>6,80 €</b>
	<b>OVAL L</b>			Brass			<b>7,07 €</b>

# 10.4 | MOUNTING ELEMENTS

## Long Escutcheon



### DORCAS® Long Escutcheons

	P/N	Model	Gear	Finish	Aplication	Description	List Price
	<b>BULONES G</b>	BULÓN Long escutcheon	N/A	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For bolt locks.	<b>3,03 €</b>
	<b>BULONES X</b>			Stainless			<b>6,80 €</b>
	<b>BULONES L</b>			Brass			<b>7,07 €</b>
	<b>Z G</b>	Z Long escutcheon	N/A	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. For hook and slip joint locks.	<b>3,03 €</b>
	<b>Z X</b>			Stainless			<b>6,80 €</b>
	<b>Z L</b>			Brass			<b>7,07 €</b>
	<b>T G 22mm</b>	T 22 Long escutcheon	N/A	Grey	C/C	250 x 22 mm escutcheon, with cut-outs, to be used on locked locks. For hook and slip joint locks. European profile.	<b>3,03 €</b>
	<b>T X 22mm</b>			Stainless			<b>6,80 €</b>
	<b>T L 22mm</b>			Brass			<b>7,07 €</b>
	<b>L G 22mm</b>	L 22 Long escutcheon	250 mm x 22 mm	Grey	C/C	250 x 22 mm escutcheon, with cut-outs, to be used on locked locks. European profile.	<b>3,03 €</b>
	<b>L X 22mm</b>			Stainless			<b>6,80 €</b>
	<b>L L 22mm</b>			Brass			<b>7,07 €</b>
	<b>Q G 22mm</b>	Q 22 Long escutcheon	250 mm x 22 mm	Grey	C/C	250 x 22 mm escutcheon, with cut-outs, to be used on locked locks. European profile.	<b>3,12 €</b>
	<b>Q X 22mm</b>			Stainless			<b>7,01 €</b>
	<b>Q L 22mm</b>			Brass			<b>7,29 €</b>
	<b>Z22 G</b>	Z 22 Long escutcheon	250 mm x 22 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. European profile.	<b>3,12 €</b>
	<b>Z22 X</b>			Stainless			<b>7,01 €</b>
	<b>Z22 L</b>			Brass			<b>7,29 €</b>
	<b>F101 G</b>	F 101 Long escutcheon	250 mm x 25 mm x 30 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. Straight edge angular - right.	<b>7,88 €</b>
	<b>F101 X</b>			Stainless			<b>10,09 €</b>
	<b>F101 L</b>			Brass			<b>10,58 €</b>
	<b>F102 G</b>	F 102 Long escutcheon	250 mm x 30 mm x 35 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. Straight edge angular - left.	<b>7,88 €</b>
	<b>F102 X</b>			Stainless			<b>10,09 €</b>
	<b>F102 L</b>			Brass			<b>10,58 €</b>





# 10.4 | MOUNTING ELEMENTS

## Long Escutcheon

### DORCAS® Long Escutcheons

	P/N	Model	Gear	Finish	Aplication	Description	List Price
	<b>F103G</b>	F 103 Long escutcheon	250 mm x 25 mm x 30 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. Blunt edge angular - right.	<b>7,88 €</b>
	<b>F103X</b>			Stainless			<b>10,09 €</b>
	<b>F103L</b>			Brass			<b>10,58 €</b>
	<b>F104 G</b>	F 104 Long escutcheon	250 mm x 30 mm x 35 mm	Grey	C/C	250 x 25 mm escutcheon, with cut-outs, to be used on locked locks. Blunt edge angular - left.	<b>7,88 €</b>
	<b>F104 X</b>			Stainless			<b>10,09 €</b>
	<b>F104 L</b>			Brass			<b>10,58 €</b>

### CDVI® Faceplates

	P/N	Model	Gear	Finish	Aplication	Description	List Price
	<b>T11</b>	130mm Short Faceplate	130 mm x 25 mm x 3 mm	gris/acero Stainless	C/C	Short faceplate. Stainless-steel 130 x 25 mm faceplate for symmetrical strikes. To be used in locking without a deadbolt.	<b>5,13 €</b>
	<b>T290</b>	250mm Long Faceplate	250 mm x 25 mm x 3 mm	gris/acero Stainless	C/C	Long faceplate. Stainless-steel 250 x 25 mm faceplate for symmetrical strikes. Surface between the latch and deadbolt of the lock: 17mm.	<b>5,13 €</b>
	<b>TG11</b>	158mm Short Faceplate	158 mm x 25 mm x 3 mm	gris/acero Stainless	C/C	Short faceplate. Stainless-steel 158 x 25 mm faceplate for symmetrical and non-symmetrical strikes. To be used in locking without a deadbolt.	<b>5,13 €</b>
	<b>T21</b>	250mm Long Faceplate	250 mm x 24 mm x 3 mm	gris/acero Stainless	C/C	Long faceplate. Stainless-steel 250 x 45 mm faceplate for symmetrical strikes. Surface between the latch and deadbolt of the lock: 35mm.	<b>5,13 €</b>

The upper portion of the image features a complex, abstract geometric pattern composed of numerous thin, dark red lines. These lines intersect at various angles, creating a series of overlapping triangles and polygons. The overall effect is one of dynamic movement and structural complexity. In the upper right quadrant, the word "EMACS" is rendered in a stylized, outlined font, appearing to be part of the geometric structure.

EMACS

**WWW.EMACS.ES**

TEL. +34 913.750.136

FAX. +34 913.758.894

C\ SANTA LEONOR, 63. PLANTA 4, LOCAL 1. 28037 MADRID